

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA1	1151112350143	1
2	SANKALP2325RA1	1151112350023	1
3	SANKALP2325RA1	1131112350057	1
4	SANKALP2325RA1	1151112350171	1
5	SANKALP2325RA1	1151112350052	1
6	SANKALP2325RA1	1151112350001	1
7	SANKALP2325RA1	1151112350134	1
8	SANKALP2325RA1	1151112350287	1
9	SANKALP2325RA1	1151112350121	1
10	SANKALP2325RA1	1061812250022	1
11	SANKALP2325RA1	1151112350068	1
12	SANKALP2325RA1	1151112350128	1
13	SANKALP2325RA1	1151112350211	1
14	Sankalp2325RA1	1151112350357	1
15	SANKALP2325RA1	1151112350010	1
16	SANKALP2325RA1	1151112350235	1
17	SANKALP2325RA1	1151112350005	1
18	SANKALP2325RA1	1151112350103	1
19	SANKALP2325RA1	1151112350015	1
20	SANKALP2325RA1	1151112350204	1
21	SANKALP2325RA1	1151112350253	1
22	SANKALP2325RA1	1151112350049	1
23	SANKALP2325RA1	1131112350087	1
24	SANKALP2325RA1	1151112350184	1
25	SANKALP2325RA1	1151112350273	1

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA1	1151112350227	2
2	SANKALP2325RA1	1151112350217	2
3	SANKALP2325RA1	1151112350141	2
4	SANKALP2325RA1	1151112350039	2
5	SANKALP2325RA1	1151112350165	2
6	SANKALP2325RA1	1151112350174	2
7	SANKALP2325RA1	1151112350179	2
8	SANKALP2325RA1	1151112350030	2
9	SANKALP2325RA1	1151112350078	2
10	SANKALP2325RA1	1151112350012	2
11	SANKALP2325RA1	1151112350212	2
12	SANKALP2325RA1	1151112350094	2
13	SANKALP2325RA1	1151112350292	2
14	SANKALP2325RA1	1151112350299	2
15	SANKALP2325RA1	1151112350056	2
16	SANKALP2325RA1	1061112250014	2
17	SANKALP2325RA2	1151112350058	2
18	SANKALP2325RA2	1151112350188	2
19	SANKALP2325RA2	1151112350164	2
20	SANKALP2325RA2	1151112350214	2
21	SANKALP2325RA2	1151112350046	2
22	SANKALP2325RA2	1151112350043	2
23	SANKALP2325RA2	1151112350137	2
24	SANKALP2325RA2	1151112350245	2
25	SANKALP2325RA2	1151112350066	2

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA2	1151112350237	3
2	SANKALP2325RA2	1151112350026	3
3	SANKALP2325RA2	1151112350159	3
4	SANKALP2325RA2	1151112350239	3
5	SANKALP2325RA2	1151112350293	3
6	SANKALP2325RA2	1151112350140	3
7	SANKALP2325RA2	1131112350102	3
8	SANKALP2325RA2	1151112350266	3
9	Sankalp2325RA2	1151112350360	3
10	SANKALP2325RA2	1151112350275	3
11	SANKALP2325RA2	1151112350091	3
12	SANKALP2325RA2	1151112350300	3
13	SANKALP2325RA2	1151112350075	3
14	SANKALP2325RA2	1151112350011	3
15	SANKALP2325RA2	1151112350168	3
16	SANKALP2325RA2	1151112350250	3
17	SANKALP2325RA2	1151112350288	3
18	SANKALP2325RA2	1151112350104	3
19	SANKALP2325RA2	1131112350072	3
20	Sankalp2325RA2	1151112350361	3
21	SANKALP2325RA2	1151112350242	3
22	SANKALP2325RA2	1151112350133	3
23	SANKALP2325RA2	1151112350064	3
24	SANKALP2325RA2	9062742150056	3
25	SANKALP2325RA2	1151112350146	3

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA2	1151112350192	4
2	SANKALP2325RA2	1151112350257	4
3	SANKALP2325RA2	9061812150062	4
4	SANKALP2325RA2	1151112350127	4
5	SANKALP2325RA2	1151112350193	4
6	SANKALP2325RA2	1151112350279	4
7	SANKALP2325RA2	1151112350173	4
8	SANKALP2325RA2	1151112350306	4
9	SANKALP2325RA2	1151112350097	4
10	SANKALP2325RA2	1151112350177	4
11	SANKALP2325RA2	1061112250045	4
12	SANKALP2325RA2	1151112350197	4
13	SANKALP2325RA2	1151112350009	4
14	SANKALP2325RA2	1151112350198	4
15	SANKALP2325RA2	1151112350022	4
16	SANKALP2325RA3	1151112350175	4
17	SANKALP2325RA3	1151112350081	4
18	SANKALP2325RA3	1151112350060	4
19	SANKALP2325RA3	1151112350083	4
20	SANKALP2325RA3	1151112350206	4
21	SANKALP2325RA3	1151112350076	4
22	SANKALP2325RA3	1151112350301	4
23	SANKALP2325RA3	1151112350101	4
24	SANKALP2325RA3	1151112350042	4
25	SANKALP2325RA3	1151112350307	4

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA3	1151112350093	5
2	SANKALP2325RA3	1151112350145	5
3	SANKALP2325RA3	1131112350109	5
4	SANKALP2325RA3	1151112350155	5
5	SANKALP2325RA3	1151112350213	5
6	SANKALP2325RA3	1151112350210	5
7	SANKALP2325RA3	1151112350139	5
8	SANKALP2325RA3	1151112350034	5
9	SANKALP2325RA3	1151112350100	5
10	SANKALP2325RA3	1151112350252	5
11	SANKALP2325RA3	1151112350098	5
12	SANKALP2325RA3	1151112350130	5
13	SANKALP2325RA3	1151112350346	5
14	SANKALP2325RA3	1151112350161	5
15	SANKALP2325RA3	1151112350142	5
16	SANKALP2325RA3	1151112350216	5
17	SANKALP2325RA3	1151112350195	5
18	SANKALP2325RA3	1151112350269	5
19	SANKALP2325RA3	1151112350274	5
20	SANKALP2325RA3	1151112350156	5
21	SANKALP2325RA3	1151112350200	5
22	SANKALP2325RA3	1151112350236	5
23	SANKALP2325RA3	1151112350077	5
24	SANKALP2325RA3	1151112350328	5
25	SANKALP2325RA3	1151112350092	5

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA3	1151112350119	6
2	SANKALP2325RA3	1151112350169	6
3	SANKALP2325RA3	1151112350241	6
4	SANKALP2325RA3	1151112350294	6
5	SANKALP2325RA3	1151112350222	6
6	SANKALP2325RA3	1151112350260	6
7	SANKALP2325RA3	1151112350099	6
8	SANKALP2325RA3	1151112350070	6
9	SANKALP2325RA3	1151112350069	6
10	SANKALP2325RA3	1151112350007	6
11	SANKALP2325RA3	1151112350114	6
12	SANKALP2325RA3	1151112350441	6
13	SANKALP2325RA4	1151112350086	6
14	SANKALP2325RA4	1151112350226	6
15	SANKALP2325RA4	1151112350126	6
16	SANKALP2325RA4	1151112350219	6
17	SANKALP2325RA4	1151112350308	6
18	SANKALP2325RA4	1151112350135	6
19	SANKALP2325RA4	1151112350181	6
20	SANKALP2325RA4	1151112350082	6
21	SANKALP2325RA4	1151112350120	6
22	SANKALP2325RA4	1151112350233	6
23	SANKALP2325RA4	1151112350032	6
24	SANKALP2325RA4	1151122350017	6
25	SANKALP2325RA4	1151112350295	6

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA4	1151112350059	7
2	SANKALP2325RA4	1151112350240	7
3	SANKALP2325RA4	1151112350281	7
4	SANKALP2325RA4	1151112350264	7
5	SANKALP2325RA4	1151112350172	7
6	SANKALP2325RA4	1151112350132	7
7	SANKALP2325RA4	1151112350162	7
8	SANKALP2325RA4	1151112350051	7
9	SANKALP2325RA4	1151112350263	7
10	SANKALP2325RA4	1151112350024	7
11	SANKALP2325RA4	1151112350021	7
12	SANKALP2325RA4	1151112350113	7
13	SANKALP2325RA4	1151112350158	7
14	SANKALP2325RA4	1151112350088	7
15	SANKALP2325RA4	1151112350014	7
16	SANKALP2325RA4	1151112350154	7
17	SANKALP2325RA4	1151112350303	7
18	SANKALP2325RA4	1151112350152	7
19	SANKALP2325RA4	1151112350228	7
20	SANKALP2325RA4	1061822250061	7
21	Sankalp2325RA4	'1061822250061	7
22	SANKALP2325RA4	1151112350047	7
23	SANKALP2325RA4	1131112350056	7
24	SANKALP2325RA4	1151112350232	7
25	SANKALP2325RA4	1151112350080	7

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA4	1051112230018	8
2	SANKALP2325RA4	1151112350282	8
3	SANKALP2325RA4	1151112350148	8
4	SANKALP2325RA4	1151112350017	8
5	SANKALP2325RA4	1151112350029	8
6	SANKALP2325RA4	1151112350225	8
7	SANKALP2325RA4	1151112350035	8
8	SANKALP2325RA5	1151112350247	8
9	SANKALP2325RA5	1151112350028	8
10	SANKALP2325RA5	1151112350044	8
11	SANKALP2325RA5	1151112350309	8
12	SANKALP2325RA5	1151112350110	8
13	SANKALP2325RA5	1151112350117	8
14	SANKALP2325RA5	1151112350025	8
15	Sankalp2325RA5	1151112350368	8
16	SANKALP2325RA5	1151112350251	8
17	SANKALP2325RA5	1151112350163	8
18	SANKALP2325RA5	1151112350031	8
19	SANKALP2325RA5	1151112350107	8
20	SANKALP2325RA5	1151112350131	8
21	SANKALP2325RA5	1151112350255	8
22	SANKALP2325RA5	1151112350243	8
23	SANKALP2325RA5	1151112350238	8
24	SANKALP2325RA5	1151112350033	8
25	SANKALP2325RA5	1151112350122	8



# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA5	1151112350296	9
2	SANKALP2325RA5	1151112350284	9
3	SANKALP2325RA5	1151112350095	9
4	SANKALP2325RA5	1151112350111	9
5	SANKALP2325RA5	1151112350090	9
6	SANKALP2325RA5	1151112350096	9
7	SANKALP2325RA5	1151112350221	9
8	SANKALP2325RA5	1151112350002	9
9	SANKALP2325RA5	1151112350089	9
10	SANKALP2325RA5	1151112350304	9
11	SANKALP2325RA5	1151112350166	9
12	SANKALP2325RA5	1151112350262	9
13	SANKALP2325RA5	1151112350006	9
14	SANKALP2325RA5	1151112350013	9
15	SANKALP2325RA5	1151112350194	9
16	Sankalp2325RA5	1151112350352	9
17	Sankalp2325RA5	1151112350367	9
18	SANKALP2325RA5	1151112350289	9
19	SANKALP2325RA5	1151112350057	9
20	SANKALP2325RA5	1151112350248	9
21	SANKALP2325RA5	1151112350084	9
22	SANKALP2325RA5	1151112350149	9
23	SANKALP2325RA5	1151112350157	9
24	SANKALP2325RA5	1131112350094	9
25	SANKALP2325RA5	1151112350054	9

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA5	1151112350224	10
2	SANKALP2325RA5	1151112350151	10
3	SANKALP2325RA5	1151112350267	10
4	SANKALP2325RA5	1151112350202	10
5	SANKALP2325RA6	1151112350254	10
6	SANKALP2325RA6	1151112350256	10
7	SANKALP2325RA6	1151112350297	10
8	SANKALP2325RA6	1151112350278	10
9	SANKALP2325RA6	1151112350048	10
10	SANKALP2325RA6	1151112350189	10
11	SANKALP2325RA6	1151112350302	10
12	SANKALP2325RA6	1151112350040	10
13	SANKALP2325RA6	1151112350205	10
14	SANKALP2325RA6	1151112350071	10
15	SANKALP2325RA6	1151112350246	10
16	SANKALP2325RA6	1151112350160	10
17	SANKALP2325RA6	1151112350176	10
18	SANKALP2325RA6	9061222150024	10
19	SANKALP2325RA6	1151112350310	10
20	SANKALP2325RA6	1151112350153	10
21	SANKALP2325RA6	1151112350073	10
22	SANKALP2325RA6	1151112350207	10
23	Sankalp2325RA6	1151112350312	10
24	SANKALP2325RA6	1151112350285	10
25	SANKALP2325RA6	1151112350115	10

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA6	1151112350209	11
2	SANKALP2325RA6	1151112350062	11
3	SANKALP2325RA6	1151112350150	11
4	SANKALP2325RA6	1131112350176	11
5	SANKALP2325RA6	1151112350265	11
6	SANKALP2325RA6	1151112350124	11
7	SANKALP2325RA6	1151112350259	11
8	SANKALP2325RA6	1151112350290	11
9	SANKALP2325RA6	1151112350116	11
10	SANKALP2325RA6	1151112350356	11
11	SANKALP2325RA6	1151112350208	11
12	SANKALP2325RA6	1151112350223	11
13	SANKALP2325RA6	1151112350271	11
14	SANKALP2325RA6	1151112350185	11
15	SANKALP2325RA6	1151112350203	11
16	SANKALP2325RA6	1151112350037	11
17	SANKALP2325RA6	1151112350358	11
18	SANKALP2325RA6	1151112350220	11
19	SANKALP2325RA6	1151112350045	11
20	SANKALP2325RA6	1151112350079	11
21	SANKALP2325RA7	1151112350261	11
22	SANKALP2325RA7	1151112350249	11
23	SANKALP2325RA7	1151112350061	11
24	SANKALP2325RA7	1061822250045	11
25	SANKALP2325RA7	1151112350003	11

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA7	1151112350125	12
2	SANKALP2325RA7	1151112350041	12
3	SANKALP2325RA7	1151112350196	12
4	SANKALP2325RA7	1151112350170	12
5	SANKALP2325RA7	1151112350187	12
6	SANKALP2325RA7	1151112350085	12
7	SANKALP2325RA7	1151112350065	12
8	SANKALP2325RA7	1151112350230	12
9	SANKALP2325RA7	1151112350167	12
10	SANKALP2325RA7	1151112350038	12
11	SANKALP2325RA7	1151112350050	12
12	SANKALP2325RA7	1101032592512220059	12
13	SANKALP2325RA7	1151112350432	12
14	SANKALP2325RA7	1062832250021	12
15	SANKALP2325RA7	1151112350229	12
16	Sankalp2325RA7	1151112350359	12
17	SANKALP2325RA7	1151112350270	12
18	SANKALP2325RA7	1151112350108	12
19	SANKALP2325RA7	1151112350036	12
20	SANKALP2325RA7	1151112350112	12
21	SANKALP2325RA7	1151112350087	12
22	SANKALP2325RA7	1151112350072	12
23	SANKALP2325RA7	1151112350215	12
24	SANKALP2325RA7	1151112350144	12
25	SANKALP2325RA7	1151112350280	12

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA7	1151112350027	13
2	SANKALP2325RA7	1151112350102	13
3	SANKALP2325RA7	1151112350276	13
4	SANKALP2325RA7	1151112350291	13
5	SANKALP2325RA7	1151112350118	13
6	SANKALP2325RA7	1151112350147	13
7	SANKALP2325RA7	1151112350258	13
8	SANKALP2325RA7	1151112350298	13
9	SANKALP2325RA7	1151112350286	13
10	SANKALP2325RA7	1151112350244	13
11	SANKALP2325RA7	1151112350019	13
12	SANKALP2325RA7	1151112350305	13
13	SANKALP2325RA7	1151112350105	13
14	SANKALP2325RA7	1151112350199	13
15	SANKALP2325RA7	1151112350123	13
16	SANKALP2325RA7	1151112350004	13
17	SANKALP2325RA8	1061812250003	13
18	SANKALP2325RA8	1151112350338	13
19	SANKALP2325RA8	1151112350334	13
20	SANKALP2325RA8	1151112350343	13
21	SANKALP2325RA8	1151112350323	13
22	Sankalp2325RA8	1151112350364	13
23	SANKALP2325RA8	1151112350314	13
24	SANKALP2325RA8	1151112350320	13
25	SANKALP2325RA8	9031122150010	13

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	Sankalp2325RA8	1151112350353	14
2	SANKALP2325RA8	1151112350341	14
3	SANKALP2325RA8	1151112350311	14
4	SANKALP2325RA8	1151112350318	14
5	SANKALP2325RA8	1151112350325	14
6	SANKALP2325RA8	1151112350391	14
7	SANKALP2325RA8	1151112350329	14
8	SANKALP2325RA8	1151112350337	14
9	SANKALP2325RA8	9062292150018	14
10	SANKALP2325RA8	1151112350315	14
11	SANKALP2325RA8	1151112350332	14
12	SANKALP2325RA8	1151112350326	14
13	Sankalp2325RA8	1151112350363	14
14	SANKALP2325RA8	1151112350316	14
15	SANKALP2325RA8	1151112350339	14
16	SANKALP2325RA8	1151112350331	14
17	SANKALP2325RA8	1151112350313	14
18	Sankalp2325RA8	1151112350355	14
19	SANKALP2325RA8	1061112250061	14
20	SANKALP2325RA8	1151112350321	14
21	Sankalp2325RA8	1151112350330	14
22	SANKALP2325RA8	1151112350342	14
23	SANKALP2325RA8	1151112350317	14
24	SANKALP2325RA8	1151112350349	14
25	SANKALP2325RA8	1151112350345	14

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA8	1151112350348	15
2	SANKALP2325RA8	1151112350324	15
3	SANKALP2325RA8	1151112350336	15
4	SANKALP2325RA8	1151112350333	15
5	SANKALP2325RA8	1151112350340	15
6	SANKALP2325RA8	1151112350322	15
7	Sankalp2325RA8	1131112350584	15
8	SANKALP2325RA8	1151112350350	15
9	SANKALP2325RA8	1151112350319	15
10	SANKALP2325RA8	1151112350335	15
11	Sankalp2325RA8	1151112350354	15
12	SANKALP2325RA8	1074792250048	15
13	SANKALP2325RA8	1151112350351	15
14	SANKALP2325RA8	1151112350327	15
15	SANKALP2325RA8	1151122350007	15
16	SANKALP2325RAH	1061112250018	15
17	SANKALP2325RAH	1061112250017	15
18	SANKALP2325RAH	1061112250054	15
19	SANKALP2325RAH	1061112250022	15
20	SANKALP2325RAH	1061112250052	15
21	SANKALP2325RAH	1011102250002	15
22	SANKALP2325RAH	1061112250031	15
23	SANKALP2325RAH	9061112150013	15
24	SANKALP2325RAH	1061112250041	15
25	SANKALP2325RAH	1061112250049	15

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RAH	1061112250019	16
2	SANKALP2325RAH	1061112250044	16
3	SANKALP2325RAH	9061112150006	16
4	SANKALP2325RAH	1061112250053	16
5	SANKALP2325RAH	1061112250051	16
6	SANKALP2325RAH	1061112250015	16
7	SANKALP2325RAH	1061112250065	16
8	SANKALP2325RAH	1061112250066	16
9	SANKALP2325RAH	1061112250007	16
10	SANKALP2325RO1	9031112150021	16
11	SANKALP2325RO1	9061182150031	16
12	SANKALP2325RO1	9031112150018	16
13	SANKALP2325RO1	9031112150016	16
14	SANKALP2325RO1	9061812150012	16
15	SANKALP2325RO1	9061112150045	16
16	SANKALP2325RO1	1061112250074	16
17	SANKALP2325RO1	9062112150037	16
18	SANKALP2325RO1	9031112150009	16
19	SANKALP2325RO1	1061112250038	16
20	SANKALP2325RO1	9061112150022	16
21	SANKALP2325RO1	9061112150024	16
22	SANKALP2325RO1	1061812250053	16
23	SANKALP2325RO1	1061112250036	16
24	SANKALP2325RO1	9061112150026	16
25	SANKALP2325RO1	1061112250059	16



# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO1	9062142150011	17
2	SANKALP2325RO1	9031112150026	17
3	SANKALP2325RO1	9052112130018	17
4	SANKALP2325RO1	9031112150028	17
5	SANKALP2325RO1	9062112150018	17
6	SANKALP2325RO1	9062182150008	17
7	SANKALP2325RO1	1061112250072	17
8	SANKALP2325RO1	1061112250064	17
9	SANKALP2325RO1	9061112150037	17
10	SANKALP2325RO1	9061112150021	17
11	SANKALP2325RO1	1061112250069	17
12	SANKALP2325RO1	9061112150009	17
13	SANKALP2325RO1	1061112250056	17
14	SANKALP2325RO1	1061122250004	17
15	SANKALP2325RO1	9061112150019	17
16	SANKALP2325RO1	1061112250068	17
17	SANKALP2325RO1	1061112250034	17
18	SANKALP2325RO1	1061112250073	17
19	SANKALP2325RO1	1061112250010	17
20	SANKALP2325RO1	1061112250071	17
21	SANKALP2325RO1	9061112150041	17
22	SANKALP2325RO1	9061122150002	17
23	SANKALP2325RO1	9061812150034	17
24	SANKALP2325RO1	1061112250011	17
25	SANKALP2325RO1	1061112250013	17

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO1	9064112150002	18
2	SANKALP2325RO1	9061112150034	18
3	SANKALP2325RO1	9031112150035	18
4	SANKALP2325RO1	1061112250039	18
5	SANKALP2325RO1	9061112150038	18
6	SANKALP2325RO1	1061112250060	18
7	SANKALP2325RO1	1061112250048	18
8	SANKALP2325RP1	1061112250026	18
9	SANKALP2325RP1	9061112150025	18
10	SANKALP2325RP1	9031112150027	18
11	SANKALP2325RP1	9031112150022	18
12	SANKALP2325RP1	9031112150015	18
13	SANKALP2325RP1	9061112150023	18
14	SANKALP2325RP1	1061812250011	18
15	SANKALP2325RP1	9031112150024	18
16	SANKALP2325RP1	9061112150017	18
17	SANKALP2325RP1	1061112250006	18
18	SANKALP2325RP1	9061112150005	18
19	SANKALP2325RP1	1061812250014	18
20	SANKALP2325RP1	1062112250095	18
21	SANKALP2325RP1	1051112230005	18
22	SANKALP2325RP1	1061112250003	18
23	SANKALP2325RP1	9061112150018	18
24	SANKALP2325RP1	1061112250023	18
25	SANKALP2325RP1	9031112150033	18

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RP1	9061212150017	19
2	SANKALP2325RP1	9062112150051	19
3	SANKALP2325RP1	1061112250035	19
4	SANKALP2325RP1	1061112250028	19
5	SANKALP2325RP1	1051112230010	19
6	SANKALP2325RP1	1061112250032	19
7	SANKALP2325RP1	1061112250030	19
8	SANKALP2325RP1	9031112150001	19
9	SANKALP2325RP1	9062112150060	19
10	SANKALP2325RP1	1062112250034	19
11	SANKALP2325RP1	1061112250070	19
12	SANKALP2325RP1	9061112150039	19
13	SANKALP2325RP1	9061112150036	19
14	SANKALP2325RP1	9061112150014	19
15	SANKALP2325RP1	9061112150002	19
16	SANKALP2325RP1	9061112150011	19
17	SANKALP2325RP1	1061112250033	19
18	SANKALP2325RP1	9062112150084	19
19	SANKALP2325RP1	1062112250039	19
20	SANKALP2325RP1	9061112150044	19
21	SANKALP2325RP1	9062112150088	19
22	SANKALP2325RP1	1061112250002	19
23	SANKALP2325RP1	9031112150017	19
24	SANKALP2325RP1	9011112150001	19
25	SANKALP2325RP1	9061112150007	19

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RP1	1061112250021	20
2	SANKALP2325RP1	1061112250058	20
3	SANKALP2325RP1	9061112150043	20
4	SANKALP2325RP1	9061812150030	20
5	SANKALP2325RP1	1061112250008	20
6	SANKALP2325RP1	9061812150057	20
7	SANKALP2325RP1	1061112250027	20
8	SANKALP2325RP1	1061112250075	20
9	SANKALP2325RP1	9031112150003	20
10	SANKALP2325RP1	1061112250067	20
11	SANKALP2325RP1	1062112250086	20
12	SANKALP2325WA1	1152112350190	20
13	SANKALP2325WA1	1152112350048	20
14	SANKALP2325WA1	1152112350001	20
15	SANKALP2325WA1	1151112350201	20
16	SANKALP2325WA1	1152112350014	20
17	SANKALP2325WA1	1152112350164	20
18	SANKALP2325WA1	1152112350252	20
19	SANKALP2325WA1	1152112350150	20
20	SANKALP2325WA1	1152112350128	20
21	SANKALP2325WA1	1152112350105	20
22	SANKALP2325WA1	1152112350036	20
23	SANKALP2325WA1	1152112350022	20
24	SANKALP2325WA1	1152112350162	20
25	SANKALP2325WA1	1152112350225	20

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA1	1152112350063	21
2	SANKALP2325WA1	1152112350200	21
3	SANKALP2325WA1	1152112350066	21
4	SANKALP2325WA1	1152112350090	21
5	SANKALP2325WA1	1152112350141	21
6	SANKALP2325WA1	1152112350219	21
7	SANKALP2325WA1	1152112350124	21
8	SANKALP2325WA1	1152112350086	21
9	SANKALP2325WA1	1152112350258	21
10	SANKALP2325WA1	1152112350101	21
11	SANKALP2325WA1	1152112350214	21
12	SANKALP2325WA1	1152112350202	21
13	SANKALP2325WA1	1152112350165	21
14	SANKALP2325WA1	1152112350266	21
15	SANKALP2325WA1	1152112350103	21
16	SANKALP2325WA1	1152112350155	21
17	SANKALP2325WA1	1152112350177	21
18	SANKALP2325WA1	1152112350246	21
19	SANKALP2325WA1	1152112350194	21
20	SANKALP2325WA1	1152112350031	21
21	SANKALP2325WA1	1152112350050	21
22	SANKALP2325WA1	1152112350016	21
23	SANKALP2325WA1	1152112350240	21
24	SANKALP2325WA1	1152112350005	21
25	SANKALP2325WA1	1152112350234	21

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA1	1152112350228	22
2	SANKALP2325WA1	1152112350215	22
3	SANKALP2325WA1	1152112350055	22
4	SANKALP2325WA2	1152112350259	22
5	SANKALP2325WA2	1152112350008	22
6	SANKALP2325WA2	1152112350092	22
7	SANKALP2325WA2	1152112350106	22
8	SANKALP2325WA2	1152112350097	22
9	SANKALP2325WA2	1152112350056	22
10	SANKALP2325WA2	1152112350163	22
11	SANKALP2325WA2	1152112350247	22
12	SANKALP2325WA2	1152112350071	22
13	SANKALP2325WA2	1152112350081	22
14	SANKALP2325WA2	1152112350241	22
15	SANKALP2325WA2	1152112350027	22
16	SANKALP2325WA2	1152112350131	22
17	Sankalp2325WA2	1131112350585	22
18	SANKALP2325WA2	1152112350201	22
19	SANKALP2325WA2	1152112350127	22
20	SANKALP2325WA2	1152112350195	22
21	SANKALP2325WA2	1152112350057	22
22	SANKALP2325WA2	1152112350115	22
23	SANKALP2325WA2	1152112350235	22
24	SANKALP2325WA2	1152112350267	22
25	SANKALP2325WA2	1152112350072	22

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA2	1152112350111	23
2	SANKALP2325WA2	1152112350229	23
3	SANKALP2325WA2	1152112350216	23
4	SANKALP2325WA2	1131112350248	23
5	SANKALP2325WA2	1152112350018	23
6	SANKALP2325WA2	1152112350080	23
7	Sankalp2325WA2	1152112350059	23
8	SANKALP2325WA2	1152112350208	23
9	SANKALP2325WA2	1152112350175	23
10	SANKALP2325WA2	1152112350044	23
11	SANKALP2325WA2	1152112350135	23
12	SANKALP2325WA2	1152112350158	23
13	SANKALP2325WA2	1152112350253	23
14	SANKALP2325WA2	1152112350112	23
15	SANKALP2325WA2	1152112350089	23
16	SANKALP2325WA2	1152112350138	23
17	SANKALP2325WA2	1152112350015	23
18	SANKALP2325WA2	1152112350053	23
19	SANKALP2325WA2	1152112350023	23
20	SANKALP2325WA2	1152112350082	23
21	SANKALP2325WA2	1152112350078	23
22	SANKALP2325WA2	1152112350125	23
23	SANKALP2325WA2	9062112150116	23
24	SANKALP2325WA2	1152112350142	23
25	SANKALP2325WA2	1152112350171	23

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA2	1152112350220	24
2	SANKALP2325WA2	1152112350094	24
3	SANKALP2325WA2	1152112350360	24
4	SANKALP2325WA3	1152112350230	24
5	SANKALP2325WA3	1152112350180	24
6	SANKALP2325WA3	1152112350248	24
7	SANKALP2325WA3	1152112350192	24
8	SANKALP2325WA3	1152112350242	24
9	SANKALP2325WA3	1152112350149	24
10	SANKALP2325WA3	1152112350196	24
11	SANKALP2325WA3	1152112350075	24
12	SANKALP2325WA3	1152112350236	24
13	SANKALP2325WA3	1152112350046	24
14	SANKALP2325WA3	1151112350272	24
15	SANKALP2325WA3	1152112350093	24
16	SANKALP2325WA3	1152112350060	24
17	SANKALP2325WA3	1152112350152	24
18	SANKALP2325WA3	1152112350210	24
19	SANKALP2325WA3	1152112350207	24
20	SANKALP2325WA3	1152112350140	24
21	SANKALP2325WA3	1152112350107	24
22	SANKALP2325WA3	1151112350055	24
23	SANKALP2325WA3	1152112350148	24
24	SANKALP2325WA3	1152112350143	24
25	SANKALP2325WA3	1152112350209	24



# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA3	1152112350168	25
2	SANKALP2325WA3	1151112350053	25
3	SANKALP2325WA3	1152112350024	25
4	SANKALP2325WA3	1152112350186	25
5	SANKALP2325WA3	1152112350006	25
6	SANKALP2325WA3	1152112350039	25
7	SANKALP2325WA3	1152112350130	25
8	SANKALP2325WA3	1152112350132	25
9	SANKALP2325WA3	1152112350268	25
10	SANKALP2325WA3	1152112350030	25
11	SANKALP2325WA3	1152112350091	25
12	SANKALP2325WA3	1152112350117	25
13	SANKALP2325WA3	1152112350004	25
14	SANKALP2325WA3	1152112350133	25
15	SANKALP2325WA3	1152112350025	25
16	SANKALP2325WA3	1152112350254	25
17	SANKALP2325WA3	1152112350040	25
18	SANKALP2325WA3	1062742250029	25
19	SANKALP2325WA3	1152112350020	25
20	SANKALP2325WA3	1152112350173	25
21	SANKALP2325WA3	1152112350145	25
22	SANKALP2325WA3	1152112350083	25
23	SANKALP2325WA3	1152112350159	25
24	SANKALP2325WA3	1152112350137	25
25	SANKALP2325WA4	1152112350077	25

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA4	1152112350184	26
2	SANKALP2325WA4	1152112350151	26
3	SANKALP2325WA4	1152112350034	26
4	SANKALP2325WA4	1152112350003	26
5	SANKALP2325WA4	1152112350067	26
6	SANKALP2325WA4	1152112350172	26
7	SANKALP2325WA4	1151112350008	26
8	SANKALP2325WA4	1152212350068	26
9	SANKALP2325WA4	1152112350007	26
10	SANKALP2325WA4	1152112350249	26
11	SANKALP2325WA4	1152112350002	26
12	SANKALP2325WA4	1152112350100	26
13	SANKALP2325WA4	1152112350062	26
14	SANKALP2325WA4	1152112350013	26
15	SANKALP2325WA4	1152112350021	26
16	SANKALP2325WA4	1152112350026	26
17	SANKALP2325WA4	1152112350183	26
18	SANKALP2325WA4	1152112350243	26
19	SANKALP2325WA4	1152112350191	26
20	SANKALP2325WA4	1152112350237	26
21	SANKALP2325WA4	1151112350020	26
22	SANKALP2325WA4	1152112350203	26
23	SANKALP2325WA4	1152112350099	26
24	SANKALP2325WA4	1151112350018	26
25	SANKALP2325WA4	1152112350222	26

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA4	1152112350211	27
2	SANKALP2325WA4	1152112350038	27
3	SANKALP2325WA4	1152112350189	27
4	SANKALP2325WA4	1152112350188	27
5	SANKALP2325WA4	1152112350079	27
6	SANKALP2325WA4	1152112350167	27
7	SANKALP2325WA4	1152112350074	27
8	SANKALP2325WA4	1152112350231	27
9	SANKALP2325WA4	1152112350118	27
10	SANKALP2325WA4	1152112350104	27
11	SANKALP2325WA4	1152112350205	27
12	SANKALP2325WA4	1152112350269	27
13	SANKALP2325WA4	1152112350197	27
14	SANKALP2325WA4	1152112350176	27
15	SANKALP2325WA4	1152112350011	27
16	SANKALP2325WA4	1152112350181	27
17	SANKALP2325WA4	1152112350185	27
18	SANKALP2325WA4	1152112350255	27
19	SANKALP2325WA5	1152112350250	27
20	SANKALP2325WA5	1152112350157	27
21	SANKALP2325WA5	1152112350238	27
22	SANKALP2325WA5	1152112350136	27
23	SANKALP2325WA5	1152112350144	27
24	SANKALP2325WA5	1152112350095	27
25	SANKALP2325WA5	1152112350042	27

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA5	1152112350217	28
2	SANKALP2325WA5	1152112350110	28
3	SANKALP2325WA5	1152112350232	28
4	SANKALP2325WA5	1152112350102	28
5	SANKALP2325WA5	1152112350098	28
6	SANKALP2325WA5	1152112350049	28
7	SANKALP2325WA5	1152112350087	28
8	SANKALP2325WA5	1152112350035	28
9	SANKALP2325WA5	1152112350084	28
10	SANKALP2325WA5	1151112350347	28
11	SANKALP2325WA5	1151112350283	28
12	SANKALP2325WA5	1151112350016	28
13	SANKALP2325WA5	1151112350366	28
14	SANKALP2325WA5	1152112350047	28
15	SANKALP2325WA5	1152112350166	28
16	SANKALP2325WA5	1152112350270	28
17	SANKALP2325WA5	1152112350153	28
18	SANKALP2325WA5	1152112350043	28
19	SANKALP2325WA5	906221210046	28
20	SANKALP2325WA5	1020112250003	28
21	SANKALP2325WA5	1152112350147	28
22	SANKALP2325WA5	1152112350178	28
23	SANKALP2325WA5	1152112350045	28
24	SANKALP2325WA5	1152112350010	28
25	SANKALP2325WA5	1152112350052	28

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA5	1152112350113	29
2	SANKALP2325WA5	1152112350244	29
3	SANKALP2325WA5	1152112350212	29
4	SANKALP2325WA5	1152112350198	29
5	SANKALP2325WA5	1152112350088	29
6	SANKALP2325WA5	1152112350019	29
7	SANKALP2325WA5	1152112350029	29
8	SANKALP2325WA5	1152112350126	29
9	SANKALP2325WA5	1152112350204	29
10	SANKALP2325WA5	1152112350256	29
11	SANKALP2325WA5	1152112350223	29
12	SANKALP2325WA5	1152112350174	29
13	SANKALP2325WA5	1152112350161	29
14	SANKALP2325WA5	1152112350170	29
15	SANKALP2325WA5	1152112350051	29
16	SANKALP2325WA6	1152112350070	29
17	SANKALP2325WA6	1152112350277	29
18	SANKALP2325WA6	1152112350109	29
19	SANKALP2325WA6	1152112350123	29
20	SANKALP2325WA6	1152112350227	29
21	SANKALP2325WA6	1152112350012	29
22	SANKALP2325WA6	1152112350068	29
23	SANKALP2325WA6	1152112350179	29
24	SANKALP2325WA6	1152112350271	29
25	SANKALP2325WA6	1152112350154	29

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA6	1152112350116	30
2	SANKALP2325WA6	1152112350218	30
3	SANKALP2325WA6	1152112350275	30
4	SANKALP2325WA6	1152112350058	30
5	SANKALP2325WA6	1152112350085	30
6	SANKALP2325WA6	1152112350121	30
7	SANKALP2325WA6	1152112350033	30
8	SANKALP2325WA6	1152112350119	30
9	SANKALP2325WA6	1152112350276	30
10	SANKALP2325WA6	1152112350114	30
11	SANKALP2325WA6	1152112350037	30
12	SANKALP2325WA6	1152112350274	30
13	SANKALP2325WA6	1152112350065	30
14	SANKALP2325WA6	1152112350224	30
15	SANKALP2325WA6	1152112350041	30
16	SANKALP2325WA6	1152112350139	30
17	SANKALP2325WA6	1152112350129	30
18	SANKALP2325WA6	1152112350017	30
19	SANKALP2325WA6	1152112350032	30
20	SANKALP2325WA6	1152112350064	30
21	SANKALP2325WA6	1152112350096	30
22	SANKALP2325WA6	1152112350273	30
23	SANKALP2325WA6	1152112350213	30
24	SANKALP2325WA6	1152112350257	30
25	SANKALP2325WA6	1152112350233	30

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA6	1152112350108	31
2	SANKALP2325WA6	1152112350073	31
3	SANKALP2325WA6	1152112350146	31
4	SANKALP2325WA6	1152112350187	31
5	SANKALP2325WA6	1152112350206	31
6	SANKALP2325WA6	1152112350028	31
7	SANKALP2325WA6	1152112350156	31
8	SANKALP2325WA6	9062182150023	31
9	SANKALP2325WA6	1152112350199	31
10	SANKALP2325WA6	1152112350193	31
11	SANKALP2325WA6	1152112350120	31
12	SANKALP2325WA6	1152112350245	31
13	SANKALP2325WA6	1152112350239	31
14	SANKALP2325WA7	1152112350263	31
15	SANKALP2325WA7	1152112350272	31
16	SANKALP2325WA7	1152	31
17	SANKALP2325WA7	9062192150012	31
18	SANKALP2325WA7	1152112350279	31
19	SANKALP2325WA7	1152112350289	31
20	SANKALP2325WA7	1152112350288	31
21	SANKALP2325WA7	1152112350294	31
22	SANKALP2325WA7	1152112350292	31
23	SANKALP2325WA7	1152112350293	31
24	SANKALP2325WA7	1152112350260	31
25	SANKALP2325WA7	1152112350262	31

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA7	1152112350284	32
2	SANKALP2325WA7	1152112350280	32
3	SANKALP2325WA7	1152112350297	32
4	SANKALP2325WA7	1152112350290	32
5	SANKALP2325WA7	1151112350234	32
6	SANKALP2325WA7	1152112350296	32
7	SANKALP2325WA7	1152112350283	32
8	SANKALP2325WA7	1152112350298	32
9	SANKALP2325WA7	1152112350285	32
10	SANKALP2325WA7	1152112350264	32
11	SANKALP2325WA7	1152112350282	32
12	SANKALP2325WA7	1152112350295	32
13	SANKALP2325WA7	1062712250006	32
14	SANKALP2325WA7	1152	32
15	SANKALP2325WA7	1152112350281	32
16	SANKALP2325WA7	1152112350291	32
17	SANKALP2325WA7	1152112350287	32
18	SANKALP2325WA7	1152112350265	32
19	SANKALP2325WA7	9052192130002	32
20	SANKALP2325WA7	1152112350160	32
21	SANKALP2325WA7	1152112350278	32
22	SANKALP2325WA7	1131112350055	32
23	SANKALP2325WA7	1131112350069	32
24	SANKALP2325WA7	1152	32
25	SANKALP2325WA7	1152112350261	32



# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA7	1152	33
2	SANKALP2325WAH	1062112250049	33
3	SANKALP2325WAH	1062112250018	33
4	SANKALP2325WAH	1062112250084	33
5	SANKALP2325WAH	1062112250062	33
6	SANKALP2325WAH	1062112250004	33
7	SANKALP2325WAH	1062112250059	33
8	SANKALP2325WAH	1062112250061	33
9	SANKALP2325WAH	1062112250078	33
10	SANKALP2325WAH	1062112250052	33
11	SANKALP2325WAH	1062112250048	33
12	SANKALP2325WAH	1062112250075	33
13	SANKALP2325WAH	1062112250074	33
14	SANKALP2325WAH	1062112250054	33
15	SANKALP2325WAH	1062112250070	33
16	SANKALP2325WAH	1011112250002	33
17	SANKALP2325WAH	1062112250045	33
18	SANKALP2325WAH	1062112250008	33
19	SANKALP2325WAH	1062112250065	33
20	SANKALP2325WAH	1062112250082	33
21	SANKALP2325WAH	1062112250046	33
22	SANKALP2325WAH	1062112250013	33
23	SANKALP2325WO1	9062112150036	33
24	SANKALP2325WO1	9062112150080	33
25	SANKALP2325WO1	1062112250038	33

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO1	9062112150016	34
2	SANKALP2325WO1	9062112150101	34
3	SANKALP2325WO1	9062112150064	34
4	SANKALP2325WO1	9062112150052	34
5	SANKALP2325WO1	9061112150029	34
6	SANKALP2325WO1	9062112150058	34
7	SANKALP2325WO1	1062112250023	34
8	SANKALP2325WO1	9052112130003	34
9	SANKALP2325WO1	9062112150004	34
10	SANKALP2325WO1	1062112250016	34
11	SANKALP2325WO1	9062112150035	34
12	SANKALP2325WO1	9062112150015	34
13	SANKALP2325WO1	1020112250001	34
14	SANKALP2325WO1	1062112250033	34
15	SANKALP2325WO1	9062202150004	34
16	SANKALP2325WO1	1061112250046	34
17	SANKALP2325WO1	1062112250032	34
18	SANKALP2325WO1	1062112250040	34
19	SANKALP2325WO1	9062112150074	34
20	SANKALP2325WO1	9062112150014	34
21	SANKALP2325WO1	9062112150009	34
22	SANKALP2325WO1	9062112150081	34
23	SANKALP2325WO1	9062112150007	34
24	SANKALP2325WO1	9062112150013	34
25	SANKALP2325WO1	9062112150059	34

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO1	9062112150122	35
2	SANKALP2325WO1	9062112150079	35
3	SANKALP2325WO1	1062112250089	35
4	SANKALP2325WO1	1062112250044	35
5	SANKALP2325WO2	1062112250092	35
6	SANKALP2325WO2	9062112150103	35
7	SANKALP2325WO2	9062112150119	35
8	SANKALP2325WO2	9062192150003	35
9	Sankalp2325WO2	1051112230011	35
10	SANKALP2325WO2	1062112250029	35
11	Sankalp2325WO2	9051182130008	35
12	SANKALP2325WO2	1062112250017	35
13	SANKALP2325WO2	9061112150003	35
14	SANKALP2325WO2	9062192150009	35
15	SANKALP2325WO2	9062112150054	35
16	SANKALP2325WO2	1061112250063	35
17	SANKALP2325WO2	1062112250011	35
18	SANKALP2325WO2	9062112150032	35
19	SANKALP2325WO2	1062112250001	35
20	SANKALP2325WO2	1061112250047	35
21	SANKALP2325WO2	9062112150087	35
22	SANKALP2325WO2	1062112250091	35
23	SANKALP2325WO2	9062112150038	35
24	SANKALP2325WO2	1062112250014	35
25	SANKALP2325WO2	9062112150113	35

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO2	1062212250005	36
2	SANKALP2325WO2	1062212250014	36
3	SANKALP2325WO2	9062112150011	36
4	SANKALP2325WO2	9061112150030	36
5	SANKALP2325WO2	9062112150096	36
6	SANKALP2325WO2	9062112150062	36
7	SANKALP2325WO2	9062112150045	36
8	SANKALP2325WO2	9062112150043	36
9	SANKALP2325WO2	1062112250081	36
10	SANKALP2325WO2	9062112150042	36
11	SANKALP2325WO2	9062112150046	36
12	SANKALP2325WO2	9062112150109	36
13	SANKALP2325WO2	1052112230017	36
14	SANKALP2325WO2	9062112150082	36
15	SANKALP2325WO2	9062112150086	36
16	SANKALP2325WO2	1062112250068	36
17	SANKALP2325WO2	1062112250090	36
18	SANKALP2325WO2	9061552150042	36
19	SANKALP2325WO2	9062112150067	36
20	SANKALP2325WO2	1062112250028	36
21	SANKALP2325WO2	1062112250076	36
22	SANKALP2325WO2	1062112250031	36
23	SANKALP2325WO3	1062112250098	36
24	SANKALP2325WO3	1062112250101	36
25	SANKALP2325WO3	1062112250005	36

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO3	9062112150047	37
2	SANKALP2325WO3	9062112150090	37
3	SANKALP2325WO3	9062112150121	37
4	SANKALP2325WO3	9061112150015	37
5	SANKALP2325WO3	1062112250026	37
6	SANKALP2325WO3	1062112250102	37
7	SANKALP2325WO3	9062112150106	37
8	SANKALP2325WO3	9062112150027	37
9	SANKALP2325WO3	1061112250043	37
10	SANKALP2325WO3	1052112230027	37
11	SANKALP2325WO3	9062112150094	37
12	SANKALP2325WO3	1062112250097	37
13	SANKALP2325WO3	9061112150042	37
14	SANKALP2325WO3	9062112150098	37
15	SANKALP2325WO3	9062112150023	37
16	SANKALP2325WO3	9062112150019	37
17	SANKALP2325WO3	1062112250071	37
18	SANKALP2325WO3	1062112250077	37
19	SANKALP2325WO3	9062112150117	37
20	SANKALP2325WO3	9062112150092	37
21	SANKALP2325WO3	1061112250009	37
22	SANKALP2325WO3	9062112150111	37
23	SANKALP2325WO3	9062112150061	37
24	SANKALP2325WO3	9062112150104	37
25	SANKALP2325WO3	1062112250088	37

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO3	1062112250020	38
2	SANKALP2325WO3	1062112250037	38
3	SANKALP2325WO3	1062112250066	38
4	SANKALP2325WO3	9062112150068	38
5	SANKALP2325WO3	1062112250080	38
6	SANKALP2325WO3	1062112250103	38
7	SANKALP2325WO3	9062112150115	38
8	SANKALP2325WO3	1062112250099	38
9	SANKALP2325WO3	1052112230010	38
10	SANKALP2325WO3	9061112150010	38
11	SANKALP2325WO3	9062112150099	38
12	SANKALP2325WO3	9062112150097	38
13	SANKALP2325WO3	9062112150107	38
14	SANKALP2325WO3	1062112250041	38
15	SANKALP2325WP1	1061112250025	38
16	SANKALP2325WP1	9061112150004	38
17	SANKALP2325WP1	9062112150055	38
18	SANKALP2325WP1	9062112150044	38
19	SANKALP2325WP1	1062212250009	38
20	SANKALP2325WP1	1062112250010	38
21	SANKALP2325WP1	9062112150040	38
22	SANKALP2325WP1	9061112150001	38
23	SANKALP2325WP1	9062112150105	38
24	SANKALP2325WP1	1061112250057	38
25	SANKALP2325WP1	1152112350226	38

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WP1	9062112150020	39
2	SANKALP2325WP1	1062112250015	39
3	SANKALP2325WP1	9062112150001	39
4	SANKALP2325WP1	1062112250006	39
5	SANKALP2325WP1	1062112250012	39
6	SANKALP2325WP1	9062112150025	39
7	SANKALP2325WP1	1062112250036	39
8	SANKALP2325WP1	9062112150091	39
9	SANKALP2325WP1	9062112150070	39
10	SANKALP2325WP1	1062112250055	39
11	SANKALP2325WP1	1062112250030	39
12	SANKALP2325WP1	9062112150069	39
13	SANKALP2325WP1	9062112150010	39
14	SANKALP2325WP1	1062112250056	39
15	SANKALP2325WP1	1061112250062	39
16	SANKALP2325WP1	1061112250037	39
17	SANKALP2325WP1	9062112150048	39
18	SANKALP2325WP1	9062112150012	39
19	SANKALP2325WP2	9062112150021	39
20	SANKALP2325WP2	1062112250083	39
21	SANKALP2325WP2	9031112150008	39
22	SANKALP2325WP2	9062112150041	39
23	SANKALP2325WP2	1062102250008	39
24	SANKALP2325WP2	9062112150102	39
25	SANKALP2325WP2	9062112150022	39

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WP2	9062112150065	40
2	SANKALP2325WP2	9062112150034	40
3	SANKALP2325WP2	1062112250050	40
4	SANKALP2325WP2	9062112150026	40
5	SANKALP2325WP2	9062112150028	40
6	SANKALP2325WP2	9052112130015	40
7	SANKALP2325WP2	1062112250072	40
8	SANKALP2325WP2	1061112250040	40
9	SANKALP2325WP2	9062112150029	40
10	SANKALP2325WP2	9062112150063	40
11	SANKALP2325WP2	9062112150100	40
12	SANKALP2325WP2	9062112150076	40
13	SANKALP2325WP2	9062112150024	40
14	SANKALP2325WP2	9062112150120	40
15	SANKALP2325WP2	9062112150057	40
16	SANKALP2325WP2	1052112230018	40
17	SANKALP2325WP2	1020112250004	40
18	SANKALP2325WP2	1062112250043	40
19	SANKALP2325WP2	9062112150053	40
20	SANKALP2325WP2	1061112250005	40
21	SANKALP2325WP2	1062112250057	40
22	SANKALP2325WP2	9062112150006	40
23	SANKALP2325WP2	1061112250004	40
24	SANKALP2325WP2	1061112250012	40
25	SANKALP2325WP2	1062112250064	40



# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WP2	9062112150056	41
2	SANKALP2325WP2	9062112150049	41
3	SANKALP2325WP2	1062112250035	41
4	SANKALP2325WP2	1062112250096	41
5	SANKALP2325WP2	9062112150089	41
6	SANKALP2325WP2	9062112150017	41
7	SANKALP2325WP2	1062112250047	41
8	SANKALP2325WP2	1062112250022	41
9	SANKALP2325WP2	9062112150005	41
10	SANKALP2325WP2	9062112150003	41
11	SANKALP2325WP3	9062112150072	41
12	SANKALP2325WP3	9062112150008	41
13	SANKALP2325WP3	9062112150110	41
14	SANKALP2325WP3	9062112150108	41
15	SANKALP2325WP3	1062112250021	41
16	SANKALP2325WP3	9062112150085	41
17	SANKALP2325WP3	9062112150073	41
18	SANKALP2325WP3	9062112150050	41
19	SANKALP2325WP3	9062112150123	41
20	SANKALP2325WP3	1062112250002	41
21	SANKALP2325WP3	1062112250069	41
22	SANKALP2325WP3	1062112250042	41
23	SANKALP2325WP3	1062112250085	41
24	SANKALP2325WP3	9061112150040	41
25	SANKALP2325WP3	9062112150118	41

# RESHUFFLING TEST ROOM LIST

28-MAY-2023

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WP3	9062112150124	42
2	SANKALP2325WP3	9061112150028	42
3	SANKALP2325WP3	9062112150077	42
4	SANKALP2325WP3	9062112150095	42
5	SANKALP2325WP3	1062112250063	42
6	SANKALP2325WP3	1062112250051	42
7	SANKALP2325WP3	9031122150018	42
8	SANKALP2325WP3	9062112150031	42
9	SANKALP2325WP3	9061112150012	42
10	SANKALP2325WP3	1062112250079	42
11	SANKALP2325WP3	1062112250058	42
12	SANKALP2325WP3	9061112150027	42
13	SANKALP2325WP3	1051112230001	42
14	SANKALP2325WP3	9062112150030	42
15	SANKALP2325WP3	9062112150075	42
16	SANKALP2325WP3	1062112250100	42
17	SANKALP2325WP3	9062112150114	42
18	SANKALP2325WP3	9062112150112	42
19	SANKALP2325WP3	1062112250093	42
20	SANKALP2325WP3	9062112150033	42