

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

FLOOR PLAN & SEATING PLAN
PHASE TEST - 3_11th FEB 24_LBS SCHOOL, R.K. PURAM

SANKALP2325 A, O, B LOT
PHASE TEST - 3

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325S1	9061112150004	1
2	SANKALP2325S1	9062112150036	1
3	SANKALP2325S1	1062112250038	1
4	SANKALP2325S1	1061112250038	1
5	SANKALP2325S1	9062192150003	1
6	SANKALP2325S1	1062112250033	1
7	SANKALP2325S1	1152112350060	1
8	SANKALP2325S1	1062112250015	1
9	SANKALP2325S1	1152112350043	1
10	SANKALP2325S1	9031112150026	1
11	SANKALP2325S1	9062182150008	1
12	SANKALP2325S1	1151112350057	1
13	SANKALP2325S1	9062112150009	1
14	SANKALP2325S1	9061812150034	1
15	SANKALP2325S1	1061112250015	1
16	SANKALP2325S1	1061112250008	1
17	SANKALP2325S1	1151112350070	1
18	SANKALP2325S1	1151112350105	1
19	SANKALP2325S1	9062112150012	1
20	SANKALP2325T1	9062112150080	1
21	SANKALP2325T1	9061112150001	1
22	SANKALP2325T1	9061222150024	1
23	SANKALP2325T1	1151112350432	1
24	SANKALP2325T1	1062112250040	1
25	SANKALP2325T1	1151112350053	1
26	SANKALP2325T1	9062112150074	1
27	SANKALP2325T1	1062112250006	1
28	SANKALP2325T1	1062212250005	1
29	SANKALP2325T1	9062112150014	1
30	SANKALP2325T1	1131112350248	1

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325T1	1061112250071	2
2	SANKALP2325T1	9062112150007	2
3	SANKALP2325T1	1152112350079	2
4	SANKALP2325T1	9062112150013	2
5	SANKALP2325T1	1131112350069	2
6	SANKALP2325T1	1151112350029	2
7	SANKALP2325P1	1152112350001	2
8	SANKALP2325P1	1131112350057	2
9	SANKALP2325P1	1062212250009	2
10	SANKALP2325P1	1152112350067	2
11	SANKALP2325P1	1152112350106	2
12	SANKALP2325P1	1152112350084	2
13	SANKALP2325P1	1151112350010	2
14	SANKALP2325P1	1020112250001	2
15	SANKALP2325P1	1152112350226	2
16	SANKALP2325P1	1151112350153	2
17	SANKALP2325P1	1152112350021	2
18	SANKALP2325P1	1152112350041	2
19	SANKALP2325P1	1062112250012	2
20	SANKALP2325P1	1062212250014	2
21	SANKALP2325P1	1151112350077	2
22	SANKALP2325P1	1061112250062	2
23	SANKALP2325P1	1151112350437	2
24	SANKALP2325P1	1152112350050	2
25	SANKALP2325P1	9061812150057	2
26	SANKALP2325P1	9062112150122	2
27	SANKALP2325P1	9062112150079	2
28	SANKALP2325P1	1152112350020	2
29	SANKALP2325P1	1062112250044	2
30			

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA	1151112350175	3
2	SANKALP2325RA	1061112250017	3
3	SANKALP2325RA	1151112350309	3
4	SANKALP2325RA	1151112350135	3
5	SANKALP2325RA	1151112350323	3
6	SANKALP2325RA	1151112350137	3
7	SANKALP2325RA	1151112350032	3
8	SANKALP2325RA	1151112350128	3
9	SANKALP2325RA	1151112350031	3
10	SANKALP2325RA	1151112350131	3
11	SANKALP2325RA	1151112350281	3
12	SANKALP2325RA	1151112350365	3
13	SANKALP2325RA	9061212150017	3
14	SANKALP2325RA	1151112350432	3
15	SANKALP2325RA	1151112350326	3
16	SANKALP2325RA	1151112350162	3
17	SANKALP2325RA	1151112350204	3
18	SANKALP2325RA	9062142150011	3
19	SANKALP2325RA	1151112350090	3
20	SANKALP2325RA	9061112150002	3
21	SANKALP2325RA	1151112350285	3
22	SANKALP2325RA	1151112350217	3
23	SANKALP2325RA	1151112350355	3
24	SANKALP2325RA	9061112150011	3
25	SANKALP2325RA	1151112350352	3
26	SANKALP2325RA	1151112350330	3
27	SANKALP2325RA	1061112250068	3
28	SANKALP2325RA	1151112350259	3
29	SANKALP2325RA	1151112350291	3
30	SANKALP2325RA	1061112250021	3

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA	1151112350322	4
2	SANKALP2325RA	1151112350279	4
3	SANKALP2325RA	1151112350258	4
4	SANKALP2325RA	1151112350306	4
5	SANKALP2325RA	1151112350019	4
6	SANKALP2325RA	1151112350035	4
7	SANKALP2325RA	1061112250067	4
8	SANKALP2325RA	9061112150043	4
9	SANKALP2325RA	9064112150002	4
10	SANKALP2325RA	1151112350037	4
11	SANKALP2325RA	1061112250048	4
12	SANKALP2325RA	1151112350220	4
13	SANKALP2325RA1	9031112150016	4
14	SANKALP2325RA1	9061812150012	4
15	SANKALP2325RA1	1151112350083	4
16	SANKALP2325RA1	9062112150037	4
17	SANKALP2325RA1	9031112150027	4
18	SANKALP2325RA1	9031112150022	4
19	SANKALP2325RA1	1151112350025	4
20	SANKALP2325RA1	1151112350308	4
21	SANKALP2325RA1	9031112150024	4
22	SANKALP2325RA1	1151112350041	4
23	SANKALP2325RA1	1151112350101	4
24	SANKALP2325RA1	1061812250053	4
25	SANKALP2325RA1	1151112350085	4
26	SANKALP2325RA1	1151112350230	4
27	SANKALP2325RA1	1151112350059	4
28	SANKALP2325RA1	1151112350213	4
29	SANKALP2325RA1	1151112350240	4
30	SANKALP2325RA1	1151112350264	4

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA1	1151112350252	5
2	SANKALP2325RA1	1151112350051	5
3	SANKALP2325RA1	1062112250034	5
4	SANKALP2325RA1	1151112350270	5
5	SANKALP2325RA1	1151112350130	5
6	SANKALP2325RA1	9061112150036	5
7	SANKALP2325RA1	1151112350049	5
8	SANKALP2325RA1	1151112350312	5
9	SANKALP2325RA1	9031112150028	5
10	SANKALP2325RA1	1151112350288	5
11	SANKALP2325RA1	1061112250072	5
12	SANKALP2325RA1	1151112350013	5
13	SANKALP2325RA1	9061112150037	5
14	SANKALP2325RA1	1061112250033	5
15	SANKALP2325RA1	9061112150009	5
16	SANKALP2325RA1	1061122250004	5
17	SANKALP2325RA1	1151112350154	5
18	SANKALP2325RA1	1151112350276	5
19	SANKALP2325RA1	1131112350056	5
20	SANKALP2325RA1	9061812150034	5
21	SANKALP2325RA1	1151112350078	5
22	SANKALP2325RA1	1131112350094	5
23	SANKALP2325RA1	1151112350169	5
24	SANKALP2325RA1	1151112350177	5
25	SANKALP2325RA1	1151112350197	5
26	SANKALP2325RA1	1151112350009	5
27	SANKALP2325RA1	1151112350022	5
28	SANKALP2325RA1	1061112250039	5
29			
30			

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA2	1061812250003	6
2	SANKALP2325RA2	1151112350023	6
3	SANKALP2325RA2	1061112250026	6
4	SANKALP2325RA2	1151112350028	6
5	SANKALP2325RA2	1151122350007	6
6	SANKALP2325RA2	9061112150023	6
7	SANKALP2325RA2	1151112350076	6
8	SANKALP2325RA2	1151112350001	6
9	SANKALP2325RA2	1151112350003	6
10	SANKALP2325RA2	1151112350121	6
11	SANKALP2325RA2	1061812250022	6
12	SANKALP2325RA2	1151112350071	6
13	SANKALP2325RA2	9061112150024	6
14	SANKALP2325RA2	1051112230005	6
15	SANKALP2325RA2	1061112250003	6
16	SANKALP2325RA2	9061112150018	6
17	SANKALP2325RA2	1151122350017	6
18	SANKALP2325RA2	1151112350140	6
19	SANKALP2325RA2	1061112250023	6
20	SANKALP2325RA2	1131112350109	6
21	SANKALP2325RA2	9031112150033	6
22	SANKALP2325RA2	1151112350038	6
23	SANKALP2325RA2	1151112350391	6
24	SANKALP2325RA2	1151112350359	6
25	SANKALP2325RA2	1151112350095	6
26	SANKALP2325RA2	1151112350015	6
27	SANKALP2325RA2	1131112350087	6
28	SANKALP2325RA2	1151112350207	6
29	SANKALP2325RA2	1151112350142	6
30	SANKALP2325RA2	1151112350215	6

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA2	1151112350006	7
2	SANKALP2325RA2	9061112150021	7
3	SANKALP2325RA2	1151112350158	7
4	SANKALP2325RA2	1151112350274	7
5	SANKALP2325RA2	1151112350141	7
6	SANKALP2325RA2	9061112150019	7
7	SANKALP2325RA2	9062112150088	7
8	SANKALP2325RA2	1151112350242	7
9	SANKALP2325RA2	1061112250010	7
10	SANKALP2325RA2	1131112350399	7
11	SANKALP2325RA2	9011112150001	7
12	SANKALP2325RA2	1151112350174	7
13	SANKALP2325RA2	1151112350080	7
14	SANKALP2325RA2	1151112350319	7
15	SANKALP2325RA2	1151112350286	7
16	SANKALP2325RA2	9061812150030	7
17	SANKALP2325RA2	9031112150035	7
18	SANKALP2325RA2	1151112350203	7
19	SANKALP2325RA2	1061112250060	7
20	SANKALP2325RA2	1151112350299	7
21	SANKALP2325RA2	1061112250014	7
22			
23			
24			
25			
26			
27			
28			
29			
30			

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA3	1151112350143	8
2	SANKALP2325RA3	1151112350247	8
3	SANKALP2325RA3	1151112350214	8
4	SANKALP2325RA3	9031112150015	8
5	SANKALP2325RA3	1151112350171	8
6	SANKALP2325RA3	1062112250101	8
7	SANKALP2325RA3	1151112350287	8
8	SANKALP2325RA3	1151112350320	8
9	SANKALP2325RA3	1151112350196	8
10	SANKALP2325RA3	1151112350120	8
11	SANKALP2325RA3	1151112350159	8
12	SANKALP2325RA3	9031122150010	8
13	SANKALP2325RA3	1151112350163	8
14	SANKALP2325RA3	1151112350353	8
15	SANKALP2325RA3	1011102250002	8
16	SANKALP2325RA3	1151112350293	8
17	SANKALP2325RA3	1151112350176	8
18	SANKALP2325RA3	1151112350357	8
19	SANKALP2325RA3	1151112350243	8
20	SANKALP2325RA3	1151112350172	8
21	SANKALP2325RA3	1151112350275	8
22	SANKALP2325RA3	1061112250036	8
23	SANKALP2325RA3	1061112250028	8
24	SANKALP2325RA3	1151112350310	8
25	SANKALP2325RA3	1151112350235	8
26	SANKALP2325RA3	1151112350091	8
27	SANKALP2325RA3	9031112150001	8
28	SANKALP2325RA3	1151112350096	8
29	SANKALP2325RA3	1151112350166	8
30	SANKALP2325RA3	1151112350216	8

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA3	1062112250039	9
2	SANKALP2325RA3	1151112350088	9
3	SANKALP2325RA3	1151112350345	9
4	SANKALP2325RA3	1151112350333	9
5	SANKALP2325RA3	9061122150002	9
6	SANKALP2325RA3	1151112350179	9
7	SANKALP2325RA3	1151112350118	9
8	SANKALP2325RA3	1151112350350	9
9	SANKALP2325RA3	1151112350149	9
10	SANKALP2325RA3	1151112350208	9
11	SANKALP2325RA3	1151112350012	9
12	SANKALP2325RA3	1151112350212	9
13	SANKALP2325RA3	1151112350351	9
14	SANKALP2325RA3	1151112350094	9
15	SANKALP2325RA4	1151112350254	9
16	SANKALP2325RA4	1151112350086	9
17	SANKALP2325RA4	1151112350044	9
18	SANKALP2325RA4	1151112350126	9
19	SANKALP2325RA4	1151112350043	9
20	SANKALP2325RA4	1061812250011	9
21	SANKALP2325RA4	1151112350368	9
22	SANKALP2325RA4	1151112350181	9
23	SANKALP2325RA4	1151112350233	9
24	SANKALP2325RA4	1151112350251	9
25	SANKALP2325RA4	1151112350170	9
26	SANKALP2325RA4	1151112350246	9
27	SANKALP2325RA4	1151112350239	9
28	SANKALP2325RA4	1151112350107	9
29	SANKALP2325RA4	1151112350311	9
30	SANKALP2325RA4	1151112350266	9

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA4	1151112350238	10
2	SANKALP2325RA4	1151112350337	10
3	SANKALP2325RA4	1062832250021	10
4	SANKALP2325RA4	1151112350284	10
5	SANKALP2325RA4	1151112350363	10
6	SANKALP2325RA4	1151112350316	10
7	SANKALP2325RA4	1151112350108	10
8	SANKALP2325RA4	9061112150039	10
9	SANKALP2325RA4	1151112350011	10
10	SANKALP2325RA4	1151112350002	10
11	SANKALP2325RA4	1151112350263	10
12	SANKALP2325RA4	1151112350331	10
13	SANKALP2325RA4	1151112350168	10
14	SANKALP2325RA4	1151112350227	10
15	SANKALP2325RA4	1131112350235	10
16	SANKALP2325RA4	1151112350321	10
17	SANKALP2325RA4	1151112350014	10
18	SANKALP2325RA4	1151112350192	10
19	SANKALP2325RA4	1151112350289	10
20	SANKALP2325RA4	1151112350047	10
21	SANKALP2325RA4	1151112350127	10
22	SANKALP2325RA4	1151112350340	10
23	SANKALP2325RA4	1061112250011	10
24	SANKALP2325RA4	1151112350305	10
25	SANKALP2325RA4	1074792250048	10
26	SANKALP2325RA4	1151112350224	10
27	SANKALP2325RA4	1151112350045	10
28	SANKALP2325RA4	1151112350327	10
29			
30			

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO1	1151112350058	11
2	SANKALP2325RO1	9031112150021	11
3	SANKALP2325RO1	9031112150018	11
4	SANKALP2325RO1	1151112350188	11
5	SANKALP2325RO1	9031112150009	11
6	SANKALP2325RO1	1151112350343	11
7	SANKALP2325RO1	9061112150017	11
8	SANKALP2325RO1	1151112350082	11
9	SANKALP2325RO1	1151112350040	11
10	SANKALP2325RO1	9061112150005	11
11	SANKALP2325RO1	1151112350042	11
12	SANKALP2325RO1	1151112350341	11
13	SANKALP2325RO1	1151112350065	11
14	SANKALP2325RO1	1131112350102	11
15	SANKALP2325RO1	1151112350050	11
16	SANKALP2325RO1	1151112350033	11
17	SANKALP2325RO1	9062292150018	11
18	SANKALP2325RO1	1151112350100	11
19	SANKALP2325RO1	1061112250032	11
20	SANKALP2325RO1	1061112250059	11
21	SANKALP2325RO1	1151112350005	11
22	SANKALP2325RO1	1151112350036	11
23	SANKALP2325RO1	9031112150019	11
24	SANKALP2325RO1	9061112150014	11
25	SANKALP2325RO1	1151112350304	11
26	SANKALP2325RO1	1151112350184	11
27	SANKALP2325RO1	1151112350087	11
28	SANKALP2325RO1	1151112350161	11
29	SANKALP2325RO1	9062112150018	11
30	SANKALP2325RO1	1151112350144	11

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO1	1151112350113	12
2	SANKALP2325RO1	1052112230018	12
3	SANKALP2325RO1	1131112350124	12
4	SANKALP2325RO1	1151112350062	12
5	SANKALP2325RO1	1151112350280	12
6	SANKALP2325RO1	1151112350133	12
7	SANKALP2325RO1	1061112250034	12
8	SANKALP2325RO1	9062742150056	12
9	SANKALP2325RO1	1151112350027	12
10	SANKALP2325RO1	1151112350367	12
11	SANKALP2325RO1	1151112350152	12
12	SANKALP2325RO1	1151112350039	12
13	SANKALP2325RO1	1151112350336	12
14	SANKALP2325RO1	1151112350157	12
15	SANKALP2325RO1	1151112350017	12
16	SANKALP2325RO1	1061112250008	12
17	SANKALP2325RO1	9061112150034	12
18	SANKALP2325RO1	9061112150038	12
19	SANKALP2325RO1	1151112350069	12
20	SANKALP2325RO1	1151112350292	12
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO2	9061182150031	13
2	SANKALP2325RO2	1151112350226	13
3	SANKALP2325RO2	1151112350048	13
4	SANKALP2325RO2	1151112350164	13
5	SANKALP2325RO2	1061822250045	13
6	SANKALP2325RO2	1151112350302	13
7	SANKALP2325RO2	1151112350066	13
8	SANKALP2325RO2	1061812250014	13
9	SANKALP2325RO2	1151112350160	13
10	SANKALP2325RO2	1151112350211	13
11	SANKALP2325RO2	1151112350255	13
12	SANKALP2325RO2	1151112350167	13
13	SANKALP2325RO2	9062112150051	13
14	SANKALP2325RO2	1061112250035	13
15	SANKALP2325RO2	1051112230010	13
16	SANKALP2325RO2	9062112150060	13
17	SANKALP2325RO2	1151112350089	13
18	SANKALP2325RO2	1151112350073	13
19	SANKALP2325RO2	1151112350339	13
20	SANKALP2325RO2	1151112350115	13
21	SANKALP2325RO2	1151112350209	13
22	SANKALP2325RO2	1151112350150	13
23	SANKALP2325RO2	1061112250002	13
24	SANKALP2325RO2	1131112350072	13
25	SANKALP2325RO2	1061112250073	13
26	SANKALP2325RO2	1131112350176	13
27	SANKALP2325RO2	9031112150017	13
28	SANKALP2325RO2	1151112350124	13
29	SANKALP2325RO2	1151112350257	13
30	SANKALP2325RO2	1151112350102	13

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO2	9061812150062	14
2	SANKALP2325RO2	1061822250061	14
3	SANKALP2325RO2	1151112350193	14
4	SANKALP2325RO2	1151112350232	14
5	SANKALP2325RO2	1131112350584	14
6	SANKALP2325RO2	1151112350030	14
7	SANKALP2325RO2	1061112250058	14
8	SANKALP2325RO2	1151112350356	14
9	SANKALP2325RO2	1151112350097	14
10	SANKALP2325RO2	1061112250027	14
11	SANKALP2325RO2	1151112350151	14
12	SANKALP2325RO2	1151112350123	14
13	SANKALP2325RO2	1131112350084	14
14	SANKALP2325RO3	9061112150025	14
15	SANKALP2325RO3	1151112350061	14
16	SANKALP2325RO3	1151112350046	14
17	SANKALP2325RO3	1151112350110	14
18	SANKALP2325RO3	1151112350117	14
19	SANKALP2325RO3	1151112350219	14
20	SANKALP2325RO3	9061112150022	14
21	SANKALP2325RO3	1151112350364	14
22	SANKALP2325RO3	1151112350245	14
23	SANKALP2325RO3	1151112350125	14
24	SANKALP2325RO3	1151112350026	14
25	SANKALP2325RO3	1151112350068	14
26	SANKALP2325RO3	1151112350187	14
27	SANKALP2325RO3	1151112350360	14
28	SANKALP2325RO3	1151112350122	14
29	SANKALP2325RO3	1151112350296	14
30	SANKALP2325RO3	1061112250030	14

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO3	1151112350300	15
2	SANKALP2325RO3	1151112350075	15
3	SANKALP2325RO3	1151112350111	15
4	SANKALP2325RO3	1061112250064	15
5	SANKALP2325RO3	1151112350104	15
6	SANKALP2325RO3	1151112350194	15
7	SANKALP2325RO3	1061112250056	15
8	SANKALP2325RO3	1151112350064	15
9	SANKALP2325RO3	1151112350303	15
10	SANKALP2325RO3	1151112350146	15
11	SANKALP2325RO3	1151112350265	15
12	SANKALP2325RO3	1151112350349	15
13	SANKALP2325RO3	1151112350324	15
14	SANKALP2325RO3	1151112350248	15
15	SANKALP2325RO3	1151112350165	15
16	SANKALP2325RO3	1151112350116	15
17	SANKALP2325RO3	1151112350147	15
18	SANKALP2325RO3	1051112230018	15
19	SANKALP2325RO3	1151112350173	15
20	SANKALP2325RO3	1151112350282	15
21	SANKALP2325RO3	1151112350335	15
22	SANKALP2325RO3	1151112350244	15
23	SANKALP2325RO3	1151112350271	15
24	SANKALP2325RO3	1061112250013	15
25	SANKALP2325RO3	1151112350054	15
26	SANKALP2325RO3	1151112350354	15
27	SANKALP2325RO3	1151112350225	15
28	SANKALP2325RO3	1151112350198	15
29	SANKALP2325RO3	1061112250075	15
30	SANKALP2325RO3	1151112350267	15

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO3	1151112350202	16
2	SANKALP2325RO4	1151112350261	16
3	SANKALP2325RO4	1151112350297	16
4	SANKALP2325RO4	1151112350249	16
5	SANKALP2325RO4	1151112350278	16
6	SANKALP2325RO4	1061112250074	16
7	SANKALP2325RO4	1151112350334	16
8	SANKALP2325RO4	1151112350052	16
9	SANKALP2325RO4	1151112350134	16
10	SANKALP2325RO4	1151112350237	16
11	SANKALP2325RO4	1151112350314	16
12	SANKALP2325RO4	1151112350205	16
13	SANKALP2325RO4	1062112250095	16
14	SANKALP2325RO4	1151112350295	16
15	SANKALP2325RO4	1151112350318	16
16	SANKALP2325RO4	1151112350325	16
17	SANKALP2325RO4	1151112350329	16
18	SANKALP2325RO4	1151112350132	16
19	SANKALP2325RO4	1151112350315	16
20	SANKALP2325RO4	1151112350332	16
21	SANKALP2325RO4	1151112350103	16
22	SANKALP2325RO4	1151112350253	16
23	SANKALP2325RO4	1151112350112	16
24	SANKALP2325RO4	1151112350221	16
25	SANKALP2325RO4	1151112350273	16
26	SANKALP2325RO4	1151112350262	16
27	SANKALP2325RO4	1151112350250	16
28	SANKALP2325RO4	1151112350313	16
29	SANKALP2325RO4	1061112250061	16
30	SANKALP2325RO4	9062112150084	16

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO4	9061112150044	17
2	SANKALP2325RO4	1151112350361	17
3	SANKALP2325RO4	1151112350348	17
4	SANKALP2325RO4	1151112350228	17
5	SANKALP2325RO4	9061112150007	17
6	SANKALP2325RO4	1151112350290	17
7	SANKALP2325RO4	1151112350298	17
8	SANKALP2325RO4	1151112350148	17
9	SANKALP2325RO4	1151112350185	17
10	SANKALP2325RO4	1061112250045	17
11	SANKALP2325RO4	1151112350358	17
12	SANKALP2325RO4	1151112350004	17
13	SANKALP2325RO4	1151112350056	17
14	SANKALP2325WA	9062112150021	17
15	SANKALP2325WA	1151112350201	17
16	SANKALP2325WA	9031112150008	17
17	SANKALP2325WA	1062112250004	17
18	SANKALP2325WA	9062192150012	17
19	SANKALP2325WA	9062112150008	17
20	SANKALP2325WA	9062112150110	17
21	SANKALP2325WA	9061112150029	17
22	SANKALP2325WA	9062112150108	17
23	SANKALP2325WA	9062112150085	17
24	SANKALP2325WA	1152112350217	17
25	SANKALP2325WA	9062112150050	17
26	SANKALP2325WA	9062112150123	17
27	SANKALP2325WA	1152112350196	17
28	SANKALP2325WA	9061112150015	17
29	SANKALP2325WA	1062112250069	17
30	SANKALP2325WA	9062112150105	17

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA	1152112350225	18
2	SANKALP2325WA	1152112350062	18
3	SANKALP2325WA	9062112150029	18
4	SANKALP2325WA	9061112150040	18
5	SANKALP2325WA	1152112350143	18
6	SANKALP2325WA	9062112150124	18
7	SANKALP2325WA	1152112350264	18
8	SANKALP2325WA	1062112250074	18
9	SANKALP2325WA	1152112350183	18
10	SANKALP2325WA	9062112150077	18
11	SANKALP2325WA	9061112150042	18
12	SANKALP2325WA	1062112250063	18
13	SANKALP2325WA	9062112150023	18
14	SANKALP2325WA	1062112250051	18
15	SANKALP2325WA	1152112350222	18
16	SANKALP2325WA	9031122150018	18
17	SANKALP2325WA	9061112150012	18
18	SANKALP2325WA	9062112150091	18
19	SANKALP2325WA	9062112150092	18
20	SANKALP2325WA	9061112150030	18
21	SANKALP2325WA	9062112150104	18
22	SANKALP2325WA	9062112150062	18
23	SANKALP2325WA	1062112250056	18
24	SANKALP2325WA	9062112150089	18
25	SANKALP2325WA	9062112150030	18
26	SANKALP2325WA	9062112150068	18
27	SANKALP2325WA	1152112350206	18
28	SANKALP2325WA	1152	18
29	SANKALP2325WA	1152112350223	18
30	SANKALP2325WA	9062112150114	18

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA	1062112250090	19
2	SANKALP2325WA	9062112150112	19
3	SANKALP2325WA	9062182150023	19
4	SANKALP2325WA	1151112350079	19
5	SANKALP2325WA	9062112150033	19
6	SANKALP2325WA1	1061112250025	19
7	SANKALP2325WA1	9062112150055	19
8	SANKALP2325WA1	9062112150016	19
9	SANKALP2325WA1	9062112150044	19
10	SANKALP2325WA1	9062112150052	19
11	SANKALP2325WA1	9062112150058	19
12	SANKALP2325WA1	1062112250023	19
13	SANKALP2325WA1	1152112350097	19
14	SANKALP2325WA1	1062112250010	19
15	SANKALP2325WA1	1062112250016	19
16	SANKALP2325WA1	9062112150015	19
17	SANKALP2325WA1	9062202150004	19
18	SANKALP2325WA1	1152112350033	19
19	SANKALP2325WA1	1061112250063	19
20	SANKALP2325WA1	1062112250032	19
21	SANKALP2325WA1	1062112250011	19
22	SANKALP2325WA1	1062112250006	19
23	SANKALP2325WA1	1152112350124	19
24	SANKALP2325WA1	9062112150025	19
25	SANKALP2325WA1	1062112250036	19
26	SANKALP2325WA1	1061112250005	19
27	SANKALP2325WA1	9062112150070	19
28	SANKALP2325WA1	1152112350213	19
29	SANKALP2325WA1	1061112250004	19
30	SANKALP2325WA1	1062112250030	19

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA1	1152112350089	20
2	SANKALP2325WA1	9062112150010	20
3	SANKALP2325WA1	1131112350055	20
4	SANKALP2325WA1	9062112150059	20
5	SANKALP2325WA1	1152112350016	20
6	SANKALP2325WA1	1061112250037	20
7	SANKALP2325WA1	9062112150067	20
8	SANKALP2325WA1	9062112150048	20
9	SANKALP2325WA1	1152112350171	20
10	SANKALP2325WA1	1062112250028	20
11	SANKALP2325WA2	1152112350263	20
12	SANKALP2325WA2	1152112350077	20
13	SANKALP2325WA2	1062112250084	20
14	SANKALP2325WA2	1152112350238	20
15	SANKALP2325WA2	1152112350014	20
16	SANKALP2325WA2	9062112150041	20
17	SANKALP2325WA2	9062112150064	20
18	SANKALP2325WA2	1152112350109	20
19	SANKALP2325WA2	1151112350189	20
20	SANKALP2325WA2	1152112350172	20
21	SANKALP2325WA2	1152112350150	20
22	SANKALP2325WA2	1152112350232	20
23	SANKALP2325WA2	1152112350007	20
24	SANKALP2325WA2	1051112230011	20
25	SANKALP2325WA2	1152112350087	20
26	SANKALP2325WA2	9062112150035	20
27	SANKALP2325WA2	1062112250017	20
28	SANKALP2325WA2	1152112350022	20
29	SANKALP2325WA2	1061112250057	20
30	SANKALP2325WA2	9062112150054	20

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA2	1152112350270	21
2	SANKALP2325WA2	1152112350119	21
3	SANKALP2325WA2	9062112150020	21
4	SANKALP2325WA2	9062112150087	21
5	SANKALP2325WA2	1152112350191	21
6	SANKALP2325WA2	1152112350219	21
7	SANKALP2325WA2	1151112350020	21
8	SANKALP2325WA2	1152112350139	21
9	SANKALP2325WA2	1020112250004	21
10	SANKALP2325WA2	1062112250077	21
11	SANKALP2325WA2	1152112350086	21
12	SANKALP2325WA2	1152112350096	21
13	SANKALP2325WA2	1152112350101	21
14	SANKALP2325WA2	9062112150011	21
15	SANKALP2325WA2	1152112350080	21
16	SANKALP2325WA2	1152112350244	21
17	SANKALP2325WA2	1152112350257	21
18	SANKALP2325WA2	1152112350004	21
19	SANKALP2325WA2	1152112350019	21
20	SANKALP2325WA2	1062112250055	21
21	SANKALP2325WA2	9062112150045	21
22	SANKALP2325WA2	1152112350073	21
23	SANKALP2325WA2	9062112150069	21
24	SANKALP2325WA2	9062112150046	21
25	SANKALP2325WA2	9062112150109	21
26	SANKALP2325WA2	1062112250035	21
27	SANKALP2325WA2	1062112250096	21
28	SANKALP2325WA2	1062112250068	21
29	SANKALP2325WA2	1062112250089	21
30	SANKALP2325WA3	1152112350034	21

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA3	1062112250083	22
2	SANKALP2325WA3	1062102250008	22
3	SANKALP2325WA3	1152112350144	22
4	SANKALP2325WA3	1152112350294	22
5	SANKALP2325WA3	1152112350227	22
6	SANKALP2325WA3	1152112350164	22
7	SANKALP2325WA3	1152112350293	22
8	SANKALP2325WA3	9062112150034	22
9	SANKALP2325WA3	1151112350008	22
10	SANKALP2325WA3	1152112350128	22
11	SANKALP2325WA3	1152112350179	22
12	SANKALP2325WA3	1062112250050	22
13	SANKALP2325WA3	1152112350036	22
14	SANKALP2325WA3	1062112250026	22
15	SANKALP2325WA3	1152112350154	22
16	SANKALP2325WA3	1152112350162	22
17	SANKALP2325WA3	1152112350152	22
18	SANKALP2325WA3	1152112350166	22
19	SANKALP2325WA3	1152112350210	22
20	SANKALP2325WA3	9062112150063	22
21	SANKALP2325WA3	1152112350298	22
22	SANKALP2325WA3	1152112350066	22
23	SANKALP2325WA3	9062112150027	22
24	SANKALP2325WA3	1061112250043	22
25	SANKALP2325WA3	1152112350147	22
26	SANKALP2325WA3	1152112350024	22
27	SANKALP2325WA3	9062112150038	22
28	SANKALP2325WA3	1152112350203	22
29	SANKALP2325WA3	1152112350178	22
30	SANKALP2325WA3	1152112350017	22

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA3	1152112350052	23
2	SANKALP2325WA3	1152112350211	23
3	SANKALP2325WA3	9062112150042	23
4	SANKALP2325WA3	9062112150056	23
5	SANKALP2325WA3	1152112350138	23
6	SANKALP2325WA3	1152112350204	23
7	SANKALP2325WA3	1152112350187	23
8	SANKALP2325WA3	1152112350231	23
9	SANKALP2325WA3	9062112150005	23
10	SANKALP2325WA3	1152112350261	23
11	SANKALP2325WA3	9061552150042	23
12	SANKALP2325WA3	1152112350197	23
13	SANKALP2325WA3	9062112150097	23
14	SANKALP2325WA3	1152112350083	23
15	SANKALP2325WA4	1152112350289	23
16	SANKALP2325WA4	1152112350292	23
17	SANKALP2325WA4	9062112150119	23
18	SANKALP2325WA4	1152112350110	23
19	SANKALP2325WA4	1152112350249	23
20	SANKALP2325WA4	1152112350049	23
21	SANKALP2325WA4	9062112150026	23
22	SANKALP2325WA4	1151112350347	23
23	SANKALP2325WA4	1152112350046	23
24	SANKALP2325WA4	1151112350272	23
25	SANKALP2325WA4	1152112350093	23
26	SANKALP2325WA4	1152112350290	23
27	SANKALP2325WA4	1151112350055	23
28	SANKALP2325WA4	1152112350063	23
29	SANKALP2325WA4	1152112350276	23
30	SANKALP2325WA4	1152112350148	23

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA4	9062112150100	24
2	SANKALP2325WA4	1152112350090	24
3	SANKALP2325WA4	1152112350282	24
4	SANKALP2325WA4	1152112350065	24
5	SANKALP2325WA4	1152112350224	24
6	SANKALP2325WA4	1152112350141	24
7	SANKALP2325WA4	1152112350168	24
8	SANKALP2325WA4	1152112350295	24
9	SANKALP2325WA4	9062112150098	24
10	SANKALP2325WA4	1152112350186	24
11	SANKALP2325WA4	1062112250014	24
12	SANKALP2325WA4	9062112150019	24
13	SANKALP2325WA4	1152112350130	24
14	SANKALP2325WA4	1152112350214	24
15	SANKALP2325WA4	9062112150061	24
16	SANKALP2325WA4	1152112350088	24
17	SANKALP2325WA4	1152112350108	24
18	SANKALP2325WA4	1152112350038	24
19	SANKALP2325WA4	1152112350103	24
20	SANKALP2325WA4	1062112250047	24
21	SANKALP2325WA4	1152112350028	24
22	SANKALP2325WA4	1152112350118	24
23	SANKALP2325WA4	1062742250029	24
24	SANKALP2325WA4	1152112350199	24
25	SANKALP2325WA4	9062112150099	24
26	SANKALP2325WA4	1152112350193	24
27	SANKALP2325WA4	1152112350245	24
28	SANKALP2325WA4	1152112350137	24
29	SANKALP2325WA4	9062112150107	24
30	SANKALP2325WA4	1152112350055	24

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA5	1152112350230	25
2	SANKALP2325WA5	9062112150072	25
3	SANKALP2325WA5	1152112350192	25
4	SANKALP2325WA5	1152112350354	25
5	SANKALP2325WA5	1152112350136	25
6	SANKALP2325WA5	9062112150121	25
7	SANKALP2325WA5	1152112350102	25
8	SANKALP2325WA5	1152112350271	25
9	SANKALP2325WA5	1062112250002	25
10	SANKALP2325WA5	1152112350035	25
11	SANKALP2325WA5	1151112350283	25
12	SANKALP2325WA5	1152112350284	25
13	SANKALP2325WA5	1062112250085	25
14	SANKALP2325WA5	1152112350297	25
15	SANKALP2325WA5	9061112150028	25
16	SANKALP2325WA5	1020112250003	25
17	SANKALP2325WA5	9062112150095	25
18	SANKALP2325WA5	1152112350129	25
19	SANKALP2325WA5	1152112350064	25
20	SANKALP2325WA5	9062112150031	25
21	SANKALP2325WA5	1152112350030	25
22	SANKALP2325WA5	1152112350212	25
23	SANKALP2325WA5	1152112350233	25
24	SANKALP2325WA5	1152112350291	25
25	SANKALP2325WA5	1152112350202	25
26	SANKALP2325WA5	1152112350165	25
27	SANKALP2325WA5	1062112250079	25
28	SANKALP2325WA5	1152112350256	25
29	SANKALP2325WA5	1062112250058	25
30	SANKALP2325WA5	9061112150027	25

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA5	1062112250066	26
2	SANKALP2325WA5	1051112230001	26
3	SANKALP2325WA5	9062112150075	26
4	SANKALP2325WA5	1152112350194	26
5	SANKALP2325WA5	9062112150115	26
6	SANKALP2325WA5	1062112250099	26
7	SANKALP2325WA5	1152112350269	26
8	SANKALP2325WA5	1152112350234	26
9	SANKALP2325WA5	1062112250093	26
10	SANKALP2325WA5	1152112350051	26
11	SANKALP2325WA5	1152112350173	26
12	SANKALP2325WA5	1152112350120	26
13	SANKALP2325WA5	1152112350357	26
14	SANKALP2325WA5	1152112350215	26
15	SANKALP2325WO1	1062112250092	26
16	SANKALP2325WO1	9062112150101	26
17	SANKALP2325WO1	1152112350008	26
18	SANKALP2325WO1	1152112350042	26
19	SANKALP2325WO1	1152112350012	26
20	SANKALP2325WO1	1152112350098	26
21	SANKALP2325WO1	9062112150040	26
22	SANKALP2325WO1	1152112350105	26
23	SANKALP2325WO1	1062112250029	26
24	SANKALP2325WO1	1152112350116	26
25	SANKALP2325WO1	9061112150003	26
26	SANKALP2325WO1	9062112150028	26
27	SANKALP2325WO1	1062112250042	26
28	SANKALP2325WO1	1152112350047	26
29	SANKALP2325WO1	9062192150009	26
30	SANKALP2325WO1	1152112350085	26

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO1	1152112350131	27
2	SANKALP2325WO1	1152112350013	27
3	SANKALP2325WO1	1152112350107	27
4	SANKALP2325WO1	1062112250072	27
5	SANKALP2325WO1	1152112350296	27
6	SANKALP2325WO1	1152112350195	27
7	SANKALP2325WO1	1152112350037	27
8	SANKALP2325WO1	9062112150001	27
9	SANKALP2325WO1	9062112150032	27
10	SANKALP2325WO1	1152112350209	27
11	SANKALP2325WO1	1062112250001	27
12	SANKALP2325WO1	1152112350026	27
13	SANKALP2325WO1	9062112150024	27
14	SANKALP2325WO1	1152112350243	27
15	SANKALP2325WO1	1152112350267	27
16	SANKALP2325WO1	9062112150113	27
17	SANKALP2325WO1	1152112350111	27
18	SANKALP2325WO1	1152112350045	27
19	SANKALP2325WO1	1152112350010	27
20	SANKALP2325WO1	1062112250057	27
21	SANKALP2325WO1	9062112150096	27
22	SANKALP2325WO1	1152112350208	27
23	SANKALP2325WO1	1152112350135	27
24	SANKALP2325WO1	1062112250081	27
25	SANKALP2325WO1	9062112150082	27
26	SANKALP2325WO1	9062112150086	27
27	SANKALP2325WO1	1152112350177	27
28	SANKALP2325WO1	9062112150116	27
29	SANKALP2325WO1	1152112350031	27
30	SANKALP2325WO1	9062112150003	27

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO1	1152112350011	28
2	SANKALP2325WO1	1062112250076	28
3	SANKALP2325WO1	1152112350145	28
4	SANKALP2325WO1	1062112250031	28
5	SANKALP2325WO2	1152112350250	28
6	SANKALP2325WO2	1152112350151	28
7	SANKALP2325WO2	1152112350180	28
8	SANKALP2325WO2	1152112350157	28
9	SANKALP2325WO2	1152112350272	28
10	SANKALP2325WO2	9062112150103	28
11	SANKALP2325WO2	1152112350095	28
12	SANKALP2325WO2	9062112150022	28
13	SANKALP2325WO2	9062112150065	28
14	SANKALP2325WO2	1061112250006	28
15	SANKALP2325WO2	1152212350068	28
16	SANKALP2325WO2	1152112350002	28
17	SANKALP2325WO2	1152112350100	28
18	SANKALP2325WO2	1151112350366	28
19	SANKALP2325WO2	1152112350275	28
20	SANKALP2325WO2	1152112350207	28
21	SANKALP2325WO2	1152112350153	28
22	SANKALP2325WO2	1152112350200	28
23	SANKALP2325WO2	9062212150046	28
24	SANKALP2325WO2	1061112250047	28
25	SANKALP2325WO2	9062112150120	28
26	SANKALP2325WO2	1052112230027	28
27	SANKALP2325WO2	1062112250091	28
28	SANKALP2325WO2	1062712250006	28
29	SANKALP2325WO2	1152112350006	28
30	SANKALP2325WO2	1152112350258	28

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO2	9062112150053	29
2	SANKALP2325WO2	1061112250009	29
3	SANKALP2325WO2	1152112350281	29
4	SANKALP2325WO2	1061112250012	29
5	SANKALP2325WO2	1062112250064	29
6	SANKALP2325WO2	1152112350198	29
7	SANKALP2325WO2	9062112150081	29
8	SANKALP2325WO2	9062112150043	29
9	SANKALP2325WO2	1151112350084	29
10	SANKALP2325WO2	1152112350126	29
11	SANKALP2325WO2	1152112350266	29
12	SANKALP2325WO2	1052112230017	29
13	SANKALP2325WO2	1152112350074	29
14	SANKALP2325WO2	1062112250020	29
15	SANKALP2325WO2	1062112250037	29
16	SANKALP2325WO2	9062112150017	29
17	SANKALP2325WO2	1152112350025	29
18	SANKALP2325WO2	1062112250103	29
19	SANKALP2325WO2	1131112350332	29
20	SANKALP2325WO2	1152112350040	29
21	SANKALP2325WO2	1152112350104	29
22	SANKALP2325WO2	1152112350240	29
23	SANKALP2325WO2	1152112350005	29
24	SANKALP2325WO2	1152112350239	29
25	SANKALP2325WO3	1152112350190	29
26	SANKALP2325WO3	1152112350048	29
27	SANKALP2325WO3	1152112350248	29
28	SANKALP2325WO3	1152112350277	29
29	SANKALP2325WO3	1152112350279	29
30	SANKALP2325WO3	9062112150102	29

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO3	1152112350003	30
2	SANKALP2325WO3	1152112350123	30
3	SANKALP2325WO3	1152112350288	30
4	SANKALP2325WO3	1062112250005	30
5	SANKALP2325WO3	1062112250041	30
6	SANKALP2325WO3	1152112350252	30
7	SANKALP2325WO3	1151112350016	30
8	SANKALP2325WO3	1152112350280	30
9	SANKALP2325WO3	1151112350229	30
10	SANKALP2325WO3	9062112150106	30
11	SANKALP2325WO3	1061112250046	30
12	SANKALP2325WO3	1152112350140	30
13	SANKALP2325WO3	1061112250040	30
14	SANKALP2325WO3	9062112150118	30
15	SANKALP2325WO3	9062112150094	30
16	SANKALP2325WO3	1152112350237	30
17	SANKALP2325WO3	1152112350032	30
18	SANKALP2325WO3	1152112350039	30
19	SANKALP2325WO3	9062112150117	30
20	SANKALP2325WO3	1152112350268	30
21	SANKALP2325WO3	1152112350273	30
22	SANKALP2325WO3	1152112350091	30
23	SANKALP2325WO3	1152112350117	30
24	SANKALP2325WO3	9062112150111	30
25	SANKALP2325WO3	1152112350189	30
26	SANKALP2325WO3	1152112350188	30
27	SANKALP2325WO3	9062112150049	30
28	SANKALP2325WO3	1152112350155	30
29	SANKALP2325WO3	1152112350246	30
30	SANKALP2325WO3	1152112350156	30

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO3	1152112350254	31
2	SANKALP2325WO3	9061112150010	31
3	SANKALP2325WO3	1152112350161	31
4	SANKALP2325WO3	1152112350176	31
5	SANKALP2325WO3	1152112350228	31
6	SANKALP2325WO3	1152112350159	31
7	SANKALP2325WO3	1152112350181	31
8	SANKALP2325WO4	1152112350070	31
9	SANKALP2325WO4	1152112350184	31
10	SANKALP2325WO4	1062112250021	31
11	SANKALP2325WO4	9062112150047	31
12	SANKALP2325WO4	1152112350260	31
13	SANKALP2325WO4	9062112150090	31
14	SANKALP2325WO4	9062112150073	31
15	SANKALP2325WO4	1152112350068	31
16	SANKALP2325WO4	1152112350149	31
17	SANKALP2325WO4	1152112350262	31
18	SANKALP2325WO4	1152112350236	31
19	SANKALP2325WO4	1152112350218	31
20	SANKALP2325WO4	1152112350058	31
21	SANKALP2325WO4	1131112350605	31
22	SANKALP2325WO4	1152112350121	31
23	SANKALP2325WO4	9061112150026	31
24	SANKALP2325WO4	1062112250102	31
25	SANKALP2325WO4	1151112350234	31
26	SANKALP2325WO4	1152112350114	31
27	SANKALP2325WO4	1152112350283	31
28	SANKALP2325WO4	1152112350285	31
29	SANKALP2325WO4	1152112350274	31
30	SANKALP2325WO4	9062112150076	31

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO4	1062112250097	32
2	SANKALP2325WO4	1152112350099	32
3	SANKALP2325WO4	9062112150057	32
4	SANKALP2325WO4	1151112350018	32
5	SANKALP2325WO4	1062112250071	32
6	SANKALP2325WO4	1152112350113	32
7	SANKALP2325WO4	9062112150006	32
8	SANKALP2325WO4	1062112250088	32
9	SANKALP2325WO4	1152112350287	32
10	SANKALP2325WO4	1152112350265	32
11	SANKALP2325WO4	1152112350146	32
12	SANKALP2325WO4	1152112350160	32
13	SANKALP2325WO4	1151112350092	32
14	SANKALP2325WO4	1152112350167	32
15	SANKALP2325WO4	1152112350278	32
16	SANKALP2325WO4	1151112350223	32
17	SANKALP2325WO4	1062112250022	32
18	SANKALP2325WO4	1062112250080	32
19	SANKALP2325WO4	1062112250100	32
20	SANKALP2325WO4	1152112350205	32
21	SANKALP2325WO4	1152112350174	32
22	SANKALP2325WO4	1152112350185	32
23	SANKALP2325RB1	1151112350445	32
24	SANKALP2325RB1	1151112350453	32
25	SANKALP2325RB1	1151112350412	32
26	SANKALP2325RB1	1151112350425	32
27	SANKALP2325RB1	1151112350389	32
28	SANKALP2325RB1	1151112350415	32
29	SANKALP2325RB1	1151112350417	32
30	SANKALP2325RB1	1151112350384	32

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RB1	1151112350397	33
2	SANKALP2325RB1	1151112350410	33
3	SANKALP2325RB1	1151112350427	33
4	SANKALP2325RB1	1151112350440	33
5	SANKALP2325RB1	1151112350454	33
6	SANKALP2325RB1	1151112350407	33
7	SANKALP2325RB1	1151112350396	33
8	SANKALP2325RB1	1151112350446	33
9	SANKALP2325RB1	1151112350434	33
10	SANKALP2325RB1	1151112350456	33
11	SANKALP2325RB1	1151112350449	33
12	SANKALP2325RB1	1151112350421	33
13	SANKALP2325RB1	1151112350448	33
14	SANKALP2325RB1	1151112350371	33
15	SANKALP2325RB1	1151112350422	33
16	SANKALP2325RB1	1151112350409	33
17	SANKALP2325RB1	1151112350457	33
18	SANKALP2325RB1	1151112350408	33
19	SANKALP2325RB1	1151112350388	33
20	SANKALP2325RB1	1151112350433	33
21	SANKALP2325RB1	1151112350402	33
22	SANKALP2325RB1	1151112350386	33
23	SANKALP2325RB1	1151112350442	33
24	SANKALP2325RB1	1151112350420	33
25	SANKALP2325RB1	1151112350381	33
26	SANKALP2325RB1	1151112350378	33
27	SANKALP2325RB1	1151112350399	33
28	SANKALP2325RB1	1151112350372	33
29	SANKALP2325RB1	1151112350430	33
30	SANKALP2325RB1	1151112350401	33

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RB2	1151112350424	34
2	SANKALP2325RB2	1151112350373	34
3	SANKALP2325RB2	1151112350398	34
4	SANKALP2325RB2	1151112350443	34
5	SANKALP2325RB2	1151112350418	34
6	SANKALP2325RB2	1151112350344	34
7	SANKALP2325RB2	1151112350450	34
8	SANKALP2325RB2	1151112350392	34
9	SANKALP2325RB2	1151112350414	34
10	SANKALP2325RB2	1151112350377	34
11	SANKALP2325RB2	1151112350406	34
12	SANKALP2325RB2	1151112350423	34
13	SANKALP2325RB2	1151112350411	34
14	SANKALP2325RB2	1151112350375	34
15	SANKALP2325RB2	1151112350435	34
16	SANKALP2325RB2	1151112350429	34
17	SANKALP2325RB2	1151112350380	34
18	SANKALP2325RB2	1151112350379	34
19	SANKALP2325RB2	1151112350400	34
20	SANKALP2325RB2	1151112350393	34
21	Sankalp2325RB2	1131112350281	34
22	SANKALP2325RB2	1151112350382	34
23	SANKALP2325RB2	1151112350395	34
24	SANKALP2325RB2	1151112350413	34
25	SANKALP2325RB2	1151112350447	34
26	SANKALP2325RB2	1151112350426	34
27	SANKALP2325RB2	1151112350444	34
28	SANKALP2325RB2	1151112350376	34
29	SANKALP2325RB2	1151112350436	34
30	SANKALP2325RB2	1151112350455	34

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RB2	1151112350362	35
2	SANKALP2325RB2	1151112350390	35
3	SANKALP2325RB2	1151112350369	35
4	SANKALP2325RB2	1151112350431	35
5	SANKALP2325RB2	1151112350439	35
6	SANKALP2325RB2	1151112350438	35
7	SANKALP2325RB2	1151112350404	35
8	SANKALP2325RB2	1151112350394	35
9	SANKALP2325RB2	1151112350451	35
10	SANKALP2325RB2	1151112350374	35
11	SANKALP2325RB2	1151112350419	35
12	SANKALP2325WB1	1152112350319	35
13	SANKALP2325WB1	1152112350345	35
14	SANKALP2325WB1	1152112350310	35
15	SANKALP2325WB1	1152112350323	35
16	SANKALP2325WB1	1152112350346	35
17	SANKALP2325WB1	1152112350315	35
18	SANKALP2325WB1	1152112350340	35
19	SANKALP2325WB1	1151112350370	35
20	SANKALP2325WB1	1152112350305	35
21	SANKALP2325WB1	1152112350335	35
22	SANKALP2325WB1	1152112350330	35
23	SANKALP2325WB1	1152112350342	35
24	SANKALP2325WB1	1152112350322	35
25	SANKALP2325WB1	1152112350304	35
26	SANKALP2325WB1	1152112350311	35
27	SANKALP2325WB1	1152112350356	35
28	SANKALP2325WB1	1152112350314	35
29	SANKALP2325WB1	1152112350343	35
30	SANKALP2325WB1	1152112350334	35

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WB1	1152112350306	36
2	SANKALP2325WB1	1152112350313	36
3	SANKALP2325WB1	1152112350344	36
4	SANKALP2325WB1	1152112350347	36
5	SANKALP2325WB1	1152112350312	36
6	SANKALP2325WB1	1152112350338	36
7	SANKALP2325WB1	1152112350348	36
8	SANKALP2325WB1	1152112350301	36
9	SANKALP2325WB1	1152112350333	36
10	SANKALP2325WB2	1152112350303	36
11	SANKALP2325WB2	1152112350299	36
12	SANKALP2325WB2	1152112350308	36
13	SANKALP2325WB2	1152112350302	36
14	SANKALP2325WB2	1152112350318	36
15	SANKALP2325WB2	1152112350328	36
16	SANKALP2325WB2	1152112350362	36
17	SANKALP2325WB2	1152112350359	36
18	SANKALP2325WB2	1152112350321	36
19	SANKALP2325WB2	1152112350355	36
20	SANKALP2325WB2	1152112350317	36
21	SANKALP2325WB2	1152112350309	36
22	SANKALP2325WB2	1152112350339	36
23	SANKALP2325WB2	1152112350251	36
24	SANKALP2325WB2	1152112350351	36
25	SANKALP2325WB2	1152112350307	36
26	SANKALP2325WB2	1152112350332	36
27	SANKALP2325WB2	1152112350352	36
28	SANKALP2325WB2	1152112350316	36
29	SANKALP2325WB2	1152112350350	36
30	SANKALP2325WB2	1152112350341	36

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WB2	1152112350324	37
2	SANKALP2325WB2	1152112350331	37
3	SANKALP2325WB2	1152112350337	37
4	SANKALP2325WB2	1152112350329	37
5	SANKALP2325WB2	1152112350325	37
6	SANKALP2325WB2	1152112350300	37
7	SANKALP2325WB2	1152112350353	37
8	SANKALP2325WB2	1152112350320	37
9	SANKALP2325WB2	1152112350336	37
10	SANKALP2325WB2	1152112350327	37
11	SANKALP2325WB2	1152112350326	37
12	SANKALP2325WB2	1152112350358	37
13	SANKALP2325RAH	1061112250018	37
14	SANKALP2325RAH	1151112350060	37
15	SANKALP2325RAH	1131112350100	37
16	SANKALP2325RAH	1151112350301	37
17	SANKALP2325RAH	1151112350041	37
18	SANKALP2325RAH	1151112350093	37
19	SANKALP2325RAH	1151112350145	37
20	SANKALP2325RAH	1151112350155	37
21	SANKALP2325RAH	1151112350160	37
22	SANKALP2325RAH	1151112350210	37
23	SANKALP2325RAH	1151112350139	37
24	SANKALP2325RAH	1151112350034	37
25	SANKALP2325RAH	1131112350159	37
26	SANKALP2325RAH	1151112350363	37
27	SANKALP2325RAH	9062142150011	37
28	SANKALP2325RAH	9061112150039	37
29	SANKALP2325RAH	1151112350441	37
30	SANKALP2325RAH	1061112250049	37

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RAH	1151112350346	38
2	SANKALP2325RAH	1151112350216	38
3	SANKALP2325RAH	1061112250019	38
4	SANKALP2325RAH	1151112350269	38
5	SANKALP2325RAH	1062112250039	38
6	SANKALP2325RAH	1151112350544	38
7	SANKALP2325RAH	1151112350156	38
8	SANKALP2325RAH	1061112250034	38
9	SANKALP2325RAH	1151112350200	38
10	SANKALP2325RAH	1151112350192	38
11	SANKALP2325RAH	1131112350228	38
12	SANKALP2325RAH	9061112150041	38
13	SANKALP2325RAH	1152112350158	38
14	SANKALP2325RAH	9061112150006	38
15	SANKALP2325RAH	1151112350236	38
16	SANKALP2325RAH	1061112250053	38
17	SANKALP2325RAH	1151112350077	38
18	SANKALP2325RAH	1061112250051	38
19	SANKALP2325RAH	1151112350119	38
20	SANKALP2325RAH	1151112350241	38
21	SANKALP2325RAH	1061112250065	38
22	SANKALP2325RAH	1151112350294	38
23	SANKALP2325RAH	1151112350012	38
24	SANKALP2325RAH	1151112350222	38
25	SANKALP2325RAH	1061112250066	38
26	SANKALP2325RAH	1151112350099	38
27	SANKALP2325RAH	1061112250007	38
28	SANKALP2325RAH	1151112350007	38
29	SANKALP2325RAH	1151112350114	38
30			38

FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WAH	1062112250018	39
2	SANKALP2325WAH	1152112350259	39
3	SANKALP2325WAH	1062112250062	39
4	SANKALP2325WAH	1151112350214	39
5	SANKALP2325WAH	1152112350008	39
6	SANKALP2325WAH	1062112250059	39
7	SANKALP2325WAH	1152112350092	39
8	SANKALP2325WAH	1062112250078	39
9	SANKALP2325WAH	1062112250052	39
10	SANKALP2325WAH	1152112350163	39
11	SANKALP2325WAH	1062112250048	39
12	SANKALP2325WAH	1152112350247	39
13	SANKALP2325WAH	1152112350071	39
14	SANKALP2325WAH	1152112350081	39
15	SANKALP2325WAH	1062112250075	39
16	SANKALP2325WAH	1152112350241	39
17	SANKALP2325WAH	1152112350027	39
18	SANKALP2325WAH	1131112350585	39
19	SANKALP2325WAH	1152112350127	39
20	SANKALP2325WAH	1152112350195	39
21	SANKALP2325WAH	1152112350235	39
22	SANKALP2325WAH	1062112250054	39
23	SANKALP2325WAH	1152112350267	39
24	SANKALP2325WAH	1152112350111	39
25	SANKALP2325WAH	1152112350229	39
26	SANKALP2325WAH	1152112350216	39
27	SANKALP2325WAH	1011112250002	39
28	SANKALP2325WAH	1062112250043	39
29	SANKALP2325WAH	1152112350059	39
30	SANKALP2325WAH	1152112350175	39

**FIITJEE PHASE TEST - 3
SANKALP2325 A, O, B LOT**

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WAH	1062112250045	40
2	SANKALP2325WAH	1152112350044	40
3	SANKALP2325WAH	1062112250008	40
4	SANKALP2325WAH	1151112350174	40
5	SANKALP2325WAH	1152112350112	40
6	SANKALP2325WAH	1152112350089	40
7	SANKALP2325WAH	1062112250082	40
8	SANKALP2325WAH	1152112350015	40
9	SANKALP2325WAH	1152112350053	40
10	SANKALP2325WAH	1152112350125	40
11	SANKALP2325WAH	1152112350142	40
12	SANKALP2325WAH	1152112350220	40
13	SANKALP2325WAH	1152112350094	40
14	SANKALP2325WAH	1152112350360	40
15	SANKALP2325WAH	1062112250013	40
16			40
17			40
18			40
19			40
20			40
21			40
22			40
23			40
24			40
25			40
26			40
27			40
28			40
29			40
30			40