

FLOOR PLAN & SEATING PLAN
RESHUFLING TEST - 2
07th April 24_LBS SCHOOL, R.K. PURAM

SANKALP2325 A, O, B, C, D, E & F LOT
RESHUFLING TEST - 2

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325S1	9061112150004	1
2	SANKALP2325S1	9062112150036	1
3	SANKALP2325S1	1062112250038	1
4	SANKALP2325S1	1061112250038	1
5	SANKALP2325S1	9062192150003	1
6	SANKALP2325S1	1062112250033	1
7	SANKALP2325S1	1152112350060	1
8	SANKALP2325S1	1062112250015	1
9	SANKALP2325S1	1152112350043	1
10	SANKALP2325S1	9031112150026	1
11	SANKALP2325S1	9062182150008	1
12	SANKALP2325S1	1151112350057	1
13	SANKALP2325S1	9062112150009	1
14	SANKALP2325S1	9061812150034	1
15	SANKALP2325S1	1061112250015	1
16	SANKALP2325S1	1061112250008	1
17	SANKALP2325S1	1151112350070	1
18	SANKALP2325S1	1151112350105	1
19	SANKALP2325S1	9062112150012	1
20	SANKALP2325T1	9062112150080	1
21	SANKALP2325T1	9061112150001	1
22	SANKALP2325T1	9061222150024	1
23	SANKALP2325T1	1151112350432	1
24	SANKALP2325T1	1062112250040	1
25	SANKALP2325T1	1151112350053	1
26	SANKALP2325T1	9062112150074	1
27	SANKALP2325T1	1062112250006	1
28	SANKALP2325T1	1062212250005	1
29	SANKALP2325T1	9062112150014	1
30	SANKALP2325T1	1131112350248	1

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325T1	1061112250071	2
2	SANKALP2325T1	9062112150007	2
3	SANKALP2325T1	1152112350079	2
4	SANKALP2325T1	9062112150013	2
5	SANKALP2325T1	1131112350069	2
6	SANKALP2325T1	1151112350029	2
7	SANKALP2325P1	1152112350001	2
8	SANKALP2325P1	1131112350057	2
9	SANKALP2325P1	1062212250009	2
10	SANKALP2325P1	1152112350067	2
11	SANKALP2325P1	1152112350106	2
12	SANKALP2325P1	1152112350097	2
13	SANKALP2325P1	9052112130003	2
14	SANKALP2325P1	1152112350084	2
15	SANKALP2325P1	1151112350010	2
16	SANKALP2325P1	1020112250001	2
17	SANKALP2325P1	1152112350226	2
18	SANKALP2325P1	1151112350153	2
19	SANKALP2325P1	1152112350021	2
20	SANKALP2325P1	1152112350041	2
21	SANKALP2325P1	1062112250012	2
22	SANKALP2325P1	1062212250014	2
23	SANKALP2325P1	1151112350077	2
24	SANKALP2325P1	1061112250062	2
25	SANKALP2325P1	1151112350437	2
26	SANKALP2325P1	1152112350050	2
27	SANKALP2325P1	9061812150057	2
28	SANKALP2325P1	9062112150122	2
29	SANKALP2325P1	9062112150079	2
30	SANKALP2325P1	1152112350020	2

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325P1	1062112250044	3
2	SANKALP2325RA	1151112350175	3
3	SANKALP2325RA	1061112250017	3
4	SANKALP2325RA	1151112350309	3
5	SANKALP2325RA	1151112350135	3
6	SANKALP2325RA	1151112350323	3
7	SANKALP2325RA	1151112350137	3
8	SANKALP2325RA	9031112150030	3
9	SANKALP2325RA	1151112350032	3
10	SANKALP2325RA	1151112350128	3
11	SANKALP2325RA	1151112350031	3
12	SANKALP2325RA	1151112350131	3
13	SANKALP2325RA	1151112350281	3
14	SANKALP2325RA	1151112350365	3
15	SANKALP2325RA	1151112350326	3
16	SANKALP2325RA	1151112350162	3
17	SANKALP2325RA	1061112250070	3
18	SANKALP2325RA	1151112350204	3
19	SANKALP2325RA	1151112350090	3
20	SANKALP2325RA	9062112150124	3
21	SANKALP2325RA	9061112150002	3
22	SANKALP2325RA	9052112130018	3
23	SANKALP2325RA	1151112350217	3
24	SANKALP2325RA	1151112350021	3
25	SANKALP2325RA	1151112350355	3
26	SANKALP2325RA	1151112350352	3
27	SANKALP2325RA	1061112250068	3
28	SANKALP2325RA	1151112350259	3
29	SANKALP2325RA	1151112350291	3
30	SANKALP2325RA	1151112350322	3

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA	1061112250021	4
2	SANKALP2325RA	1151112350279	4
3	SANKALP2325RA	1151112350258	4
4	SANKALP2325RA	1151112350306	4
5	SANKALP2325RA	9061112150043	4
6	SANKALP2325RA	9064112150002	4
7	SANKALP2325RA	1151112350019	4
8	SANKALP2325RA	1151112350037	4
9	SANKALP2325RA	1151112350035	4
10	SANKALP2325RA	1061112250067	4
11	SANKALP2325RA	9031112150029	4
12	SANKALP2325RA	1151112350220	4
13	SANKALP2325RA1	9031112150016	4
14	SANKALP2325RA1	9061812150012	4
15	SANKALP2325RA1	1151112350083	4
16	SANKALP2325RA1	9062112150037	4
17	SANKALP2325RA1	9031112150027	4
18	SANKALP2325RA1	9031112150022	4
19	SANKALP2325RA1	1151112350025	4
20	SANKALP2325RA1	1151112350308	4
21	SANKALP2325RA1	9031112150024	4
22	SANKALP2325RA1	1151112350101	4
23	SANKALP2325RA1	1061812250053	4
24	SANKALP2325RA1	1151112350085	4
25	SANKALP2325RA1	1151112350230	4
26	SANKALP2325RA1	1151112350059	4
27	SANKALP2325RA1	1151112350213	4
28	SANKALP2325RA1	1151112350240	4
29	SANKALP2325RA1	1151112350264	4
30	SANKALP2325RA1	1151112350033	4

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA1	1151112350252	5
2	SANKALP2325RA1	1151112350051	5
3	SANKALP2325RA1	1151112350316	5
4	SANKALP2325RA1	1062112250034	5
5	SANKALP2325RA1	1151112350270	5
6	SANKALP2325RA1	1151112350130	5
7	SANKALP2325RA1	9061112150036	5
8	SANKALP2325RA1	1151112350049	5
9	SANKALP2325RA1	1151112350312	5
10	SANKALP2325RA1	9031112150028	5
11	SANKALP2325RA1	1151112350288	5
12	SANKALP2325RA1	1061112250072	5
13	SANKALP2325RA1	1151112350013	5
14	SANKALP2325RA1	9061112150037	5
15	SANKALP2325RA1	1061112250033	5
16	SANKALP2325RA1	1061112250069	5
17	SANKALP2325RA1	9061112150009	5
18	SANKALP2325RA1	1061122250004	5
19	SANKALP2325RA1	1151112350154	5
20	SANKALP2325RA1	1151112350276	5
21	SANKALP2325RA1	1131112350056	5
22	SANKALP2325RA1	1151112350078	5
23	SANKALP2325RA1	1151112350169	5
24	SANKALP2325RA1	1151112350177	5
25	SANKALP2325RA1	1151112350197	5
26	SANKALP2325RA1	1151112350009	5
27	SANKALP2325RA1	1151112350022	5
28	SANKALP2325RA1	1061112250039	5
29	SANKALP2325RA2	1061812250003	5
30	SANKALP2325RA2	1151112350023	5

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA2	1061112250026	6
2	SANKALP2325RA2	1151112350028	6
3	SANKALP2325RA2	1151122350007	6
4	SANKALP2325RA2	1152112350346	6
5	SANKALP2325RA2	9061112150023	6
6	SANKALP2325RA2	1151112350076	6
7	SANKALP2325RA2	1151112350001	6
8	SANKALP2325RA2	1151112350003	6
9	SANKALP2325RA2	1151112350121	6
10	SANKALP2325RA2	1061812250022	6
11	SANKALP2325RA2	1151112350071	6
12	SANKALP2325RA2	9061112150024	6
13	SANKALP2325RA2	1051112230005	6
14	SANKALP2325RA2	1061112250003	6
15	SANKALP2325RA2	9061112150018	6
16	SANKALP2325RA2	1151112350140	6
17	SANKALP2325RA2	1061112250023	6
18	SANKALP2325RA2	1131112350109	6
19	SANKALP2325RA2	9031112150033	6
20	SANKALP2325RA2	1151112350038	6
21	SANKALP2325RA2	1151112350391	6
22	SANKALP2325RA2	1151112350359	6
23	SANKALP2325RA2	1151112350095	6
24	SANKALP2325RA2	1151112350015	6
25	SANKALP2325RA2	1131112350087	6
26	SANKALP2325RA2	1151112350207	6
27	SANKALP2325RA2	1151112350142	6
28	SANKALP2325RA2	1151112350215	6
29	SANKALP2325RA2	1151112350006	6
30	SANKALP2325RA2	9061112150021	6

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA2	1061112250061	7
2	SANKALP2325RA2	1151112350158	7
3	SANKALP2325RA2	1151112350274	7
4	SANKALP2325RA2	9061112150019	7
5	SANKALP2325RA2	9062112150088	7
6	SANKALP2325RA2	1151112350242	7
7	SANKALP2325RA2	1061112250010	7
8	SANKALP2325RA2	1131112350399	7
9	SANKALP2325RA2	9011112150001	7
10	SANKALP2325RA2	1151112350174	7
11	SANKALP2325RA2	1151112350080	7
12	SANKALP2325RA2	1151112350319	7
13	SANKALP2325RA2	1151112350286	7
14	SANKALP2325RA2	9061812150030	7
15	SANKALP2325RA2	1152112350104	7
16	SANKALP2325RA2	9031112150035	7
17	SANKALP2325RA2	1151112350203	7
18	SANKALP2325RA2	1061112250060	7
19	SANKALP2325RA2	1151112350299	7
20	SANKALP2325RA2	1061112250014	7
21	SANKALP2325RA3	1151112350143	7
22	SANKALP2325RA3	1151112350247	7
23	SANKALP2325RA3	9031112150015	7
24	SANKALP2325RA3	1151112350171	7
25	SANKALP2325RA3	1062112250101	7
26	SANKALP2325RA3	1151112350287	7
27	SANKALP2325RA3	1151112350320	7
28	SANKALP2325RA3	1151112350196	7
29	SANKALP2325RA3	1151112350120	7
30	SANKALP2325RA3	1151112350159	7

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA3	9031122150010	8
2	SANKALP2325RA3	1151112350163	8
3	SANKALP2325RA3	1151112350353	8
4	SANKALP2325RA3	1011102250002	8
5	SANKALP2325RA3	1151112350293	8
6	SANKALP2325RA3	1131112350556	8
7	SANKALP2325RA3	1151112350176	8
8	SANKALP2325RA3	1151112350357	8
9	SANKALP2325RA3	1151112350172	8
10	SANKALP2325RA3	1151112350275	8
11	SANKALP2325RA3	1061112250036	8
12	SANKALP2325RA3	1151112350179	8
13	SANKALP2325RA3	1061112250028	8
14	SANKALP2325RA3	1151112350310	8
15	SANKALP2325RA3	1151112350091	8
16	SANKALP2325RA3	9031112150001	8
17	SANKALP2325RA3	1151112350096	8
18	SANKALP2325RA3	1151112350166	8
19	SANKALP2325RA3	1131112350533	8
20	SANKALP2325RA3	1131112350257	8
21	SANKALP2325RA3	1151112350088	8
22	SANKALP2325RA3	1062202250060	8
23	SANKALP2325RA3	1151112350141	8
24	SANKALP2325RA3	1151112350333	8
25	SANKALP2325RA3	9061122150002	8
26	SANKALP2325RA3	1151112350350	8
27	SANKALP2325RA3	1151112350149	8
28	SANKALP2325RA3	1151112350208	8
29	SANKALP2325RA3	1151112350212	8
30	SANKALP2325RA3	1151112350351	8

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA3	1151112350094	9
2	SANKALP2325RA3	1061112250048	9
3	SANKALP2325RA4	1151112350254	9
4	SANKALP2325RA4	1152112350259	9
5	SANKALP2325RA4	1151112350086	9
6	SANKALP2325RA4	9062112150072	9
7	SANKALP2325RA4	1151112350126	9
8	SANKALP2325RA4	1151112350043	9
9	SANKALP2325RA4	1061812250011	9
10	SANKALP2325RA4	1151112350368	9
11	SANKALP2325RA4	1151112350181	9
12	SANKALP2325RA4	1151112350233	9
13	SANKALP2325RA4	1151112350251	9
14	SANKALP2325RA4	1151112350170	9
15	SANKALP2325RA4	1151112350246	9
16	SANKALP2325RA4	1151112350239	9
17	SANKALP2325RA4	1151112350295	9
18	SANKALP2325RA4	1151112350107	9
19	SANKALP2325RA4	1151112350311	9
20	SANKALP2325RA4	1151112350266	9
21	SANKALP2325RA4	1151112350238	9
22	SANKALP2325RA4	1151112350337	9
23	SANKALP2325RA4	1062832250021	9
24	SANKALP2325RA4	1151112350284	9
25	SANKALP2325RA4	1131112350358	9
26	SANKALP2325RA4	1151112350108	9
27	SANKALP2325RA4	1151112350011	9
28	SANKALP2325RA4	1151112350002	9
29	SANKALP2325RA4	1151112350263	9
30	SANKALP2325RA4	1151112350331	9

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RA4	1151112350168	10
2	SANKALP2325RA4	1151112350285	10
3	SANKALP2325RA4	1151112350321	10
4	SANKALP2325RA4	1151112350014	10
5	SANKALP2325RA4	1131112350429	10
6	SANKALP2325RA4	1151112350289	10
7	SANKALP2325RA4	1151112350047	10
8	SANKALP2325RA4	1151112350127	10
9	SANKALP2325RA4	1062112250088	10
10	SANKALP2325RA4	1151112350340	10
11	SANKALP2325RA4	1061112250011	10
12	SANKALP2325RA4	1151112350305	10
13	SANKALP2325RA4	1074792250048	10
14	SANKALP2325RA4	1151112350224	10
15	SANKALP2325RA4	1151112350327	10
16	SANKALP2325RO1	1151112350058	10
17	SANKALP2325RO1	9031112150021	10
18	SANKALP2325RO1	1131112350043	10
19	SANKALP2325RO1	9031112150018	10
20	SANKALP2325RO1	1151112350188	10
21	SANKALP2325RO1	9031112150009	10
22	SANKALP2325RO1	1151112350343	10
23	SANKALP2325RO1	9061112150017	10
24	SANKALP2325RO1	1151112350040	10
25	SANKALP2325RO1	9061112150005	10
26	SANKALP2325RO1	1151112350042	10
27	SANKALP2325RO1	1151112350341	10
28	SANKALP2325RO1	1131112350102	10
29	SANKALP2325RO1	1151112350050	10
30	SANKALP2325RO1	1061112250035	10

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325R01	9062292150018	11
2	SANKALP2325R01	1151112350100	11
3	SANKALP2325R01	1061112250032	11
4	SANKALP2325R01	1061112250059	11
5	SANKALP2325R01	1151112350005	11
6	SANKALP2325R01	1151112350036	11
7	SANKALP2325R01	9031112150019	11
8	SANKALP2325R01	9061112150014	11
9	SANKALP2325R01	1151112350304	11
10	SANKALP2325R01	1151112350184	11
11	SANKALP2325R01	1151112350087	11
12	SANKALP2325R01	1151112350161	11
13	SANKALP2325R01	9062112150018	11
14	SANKALP2325R01	1151112350144	11
15	SANKALP2325R01	1151112350113	11
16	SANKALP2325R01	1052112230018	11
17	SANKALP2325R01	1131112350124	11
18	SANKALP2325R01	1131112350235	11
19	SANKALP2325R01	1151112350280	11
20	SANKALP2325R01	9062742150056	11
21	SANKALP2325R01	1151112350027	11
22	SANKALP2325R01	1131112350524	11
23	SANKALP2325R01	1151112350367	11
24	SANKALP2325R01	1151112350152	11
25	SANKALP2325R01	1151112350039	11
26	SANKALP2325R01	1151112350336	11
27	SANKALP2325R01	1151112350157	11
28	SANKALP2325R01	1151112350017	11
29	SANKALP2325R01	9061112150034	11
30	SANKALP2325R01	9061112150038	11

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO1	1151112350069	12
2	SANKALP2325RO1	1151112350292	12
3	SANKALP2325RO2	9061182150031	12
4	SANKALP2325RO2	1131112350569	12
5	SANKALP2325RO2	1151112350226	12
6	SANKALP2325RO2	1131112350460	12
7	SANKALP2325RO2	1151112350164	12
8	SANKALP2325RO2	1061822250045	12
9	SANKALP2325RO2	1151112350302	12
10	SANKALP2325RO2	1131112350230	12
11	SANKALP2325RO2	1151112350066	12
12	SANKALP2325RO2	1061812250014	12
13	SANKALP2325RO2	1151112350211	12
14	SANKALP2325RO2	1151112350167	12
15	SANKALP2325RO2	9062112150051	12
16	SANKALP2325RO2	1051112230010	12
17	SANKALP2325RO2	9062112150060	12
18	SANKALP2325RO2	1151112350089	12
19	SANKALP2325RO2	1151112350073	12
20	SANKALP2325RO2	1151112350339	12
21	SANKALP2325RO2	1061112250047	12
22	SANKALP2325RO2	1151112350115	12
23	SANKALP2325RO2	1151112350227	12
24	SANKALP2325RO2	1151112350209	12
25	SANKALP2325RO2	1151112350150	12
26	SANKALP2325RO2	1061112250002	12
27	SANKALP2325RO2	1131112350072	12
28	SANKALP2325RO2	1061112250073	12
29	SANKALP2325RO2	1131112350176	12
30	SANKALP2325RO2	9031112150017	12

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO2	1151112350124	13
2	SANKALP2325RO2	1151112350257	13
3	SANKALP2325RO2	1151112350102	13
4	SANKALP2325RO2	9061812150062	13
5	SANKALP2325RO2	1061822250061	13
6	SANKALP2325RO2	1151112350193	13
7	SANKALP2325RO2	1151112350232	13
8	SANKALP2325RO2	1131112350584	13
9	SANKALP2325RO2	1151112350030	13
10	SANKALP2325RO2	1061112250058	13
11	SANKALP2325RO2	1151112350356	13
12	SANKALP2325RO2	1151112350097	13
13	SANKALP2325RO2	1061112250027	13
14	SANKALP2325RO2	1151112350151	13
15	SANKALP2325RO2	1151112350123	13
16	SANKALP2325RO2	1131112350160	13
17	SANKALP2325RO3	9061112150025	13
18	SANKALP2325RO3	1151112350061	13
19	SANKALP2325RO3	1151112350046	13
20	SANKALP2325RO3	1151112350110	13
21	SANKALP2325RO3	1151112350117	13
22	SANKALP2325RO3	1151112350219	13
23	SANKALP2325RO3	9061112150022	13
24	SANKALP2325RO3	1151112350364	13
25	SANKALP2325RO3	1151112350026	13
26	SANKALP2325RO3	1151112350187	13
27	SANKALP2325RO3	1151112350178	13
28	SANKALP2325RO3	1151112350360	13
29	SANKALP2325RO3	1151112350296	13
30	SANKALP2325RO3	1061112250030	13

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO3	1151112350300	14
2	SANKALP2325RO3	1151112350075	14
3	SANKALP2325RO3	1151112350111	14
4	SANKALP2325RO3	1061112250064	14
5	SANKALP2325RO3	1151112350104	14
6	SANKALP2325RO3	1151112350194	14
7	SANKALP2325RO3	1131112350016	14
8	SANKALP2325RO3	1061112250056	14
9	SANKALP2325RO3	1151112350064	14
10	SANKALP2325RO3	1151112350303	14
11	SANKALP2325RO3	1151112350146	14
12	SANKALP2325RO3	1151112350349	14
13	SANKALP2325RO3	1151112350324	14
14	SANKALP2325RO3	1151112350248	14
15	SANKALP2325RO3	1151112350165	14
16	SANKALP2325RO3	1151112350116	14
17	SANKALP2325RO3	1151112350147	14
18	SANKALP2325RO3	1051112230018	14
19	SANKALP2325RO3	1151112350173	14
20	SANKALP2325RO3	1151112350282	14
21	SANKALP2325RO3	1151112350335	14
22	SANKALP2325RO3	1151112350244	14
23	SANKALP2325RO3	1151112350271	14
24	SANKALP2325RO3	1061112250013	14
25	SANKALP2325RO3	1151112350054	14
26	SANKALP2325RO3	1151112350354	14
27	SANKALP2325RO3	1151112350225	14
28	SANKALP2325RO3	1151112350198	14
29	SANKALP2325RO3	1061112250075	14
30	SANKALP2325RO3	1151112350267	14

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO3	1151112350138	15
2	SANKALP2325RO3	1131112350084	15
3	SANKALP2325RO3	1151112350202	15
4	SANKALP2325RO4	1151112350261	15
5	SANKALP2325RO4	1151112350297	15
6	SANKALP2325RO4	1151112350249	15
7	SANKALP2325RO4	1151112350278	15
8	SANKALP2325RO4	1061112250074	15
9	SANKALP2325RO4	1151112350334	15
10	SANKALP2325RO4	1151112350052	15
11	SANKALP2325RO4	1151112350134	15
12	SANKALP2325RO4	1151112350237	15
13	SANKALP2325RO4	1151112350314	15
14	SANKALP2325RO4	1151112350205	15
15	SANKALP2325RO4	1151112350411	15
16	SANKALP2325RO4	1062112250095	15
17	SANKALP2325RO4	1151112350318	15
18	SANKALP2325RO4	1151112350325	15
19	SANKALP2325RO4	1151112350329	15
20	SANKALP2325RO4	1151112350132	15
21	SANKALP2325RO4	1151112350332	15
22	SANKALP2325RO4	1151112350103	15
23	SANKALP2325RO4	1151112350253	15
24	SANKALP2325RO4	1151112350112	15
25	SANKALP2325RO4	1151112350221	15
26	SANKALP2325RO4	1151112350273	15
27	SANKALP2325RO4	1151112350262	15
28	SANKALP2325RO4	1151112350250	15
29	SANKALP2325RO4	9062112150084	15
30	SANKALP2325RO4	9061112150044	15

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RO4	1151112350361	16
2	SANKALP2325RO4	1151112350348	16
3	SANKALP2325RO4	1151112350228	16
4	SANKALP2325RO4	9061112150007	16
5	SANKALP2325RO4	1151112350290	16
6	SANKALP2325RO4	1151112350298	16
7	SANKALP2325RO4	1151112350148	16
8	SANKALP2325RO4	1151112350185	16
9	SANKALP2325RO4	1061112250045	16
10	SANKALP2325RO4	1151112350183	16
11	SANKALP2325RO4	1151112350358	16
12	SANKALP2325RO4	1151112350004	16
13	SANKALP2325RO4	1151112350056	16
14	SANKALP2325WA	1151112350201	16
15	SANKALP2325WA	9031112150008	16
16	SANKALP2325WA	1062112250004	16
17	SANKALP2325WA	9062192150012	16
18	SANKALP2325WA	9062112150008	16
19	SANKALP2325WA	9062112150110	16
20	SANKALP2325WA	9061112150029	16
21	SANKALP2325WA	1152112350217	16
22	SANKALP2325WA	9062112150123	16
23	SANKALP2325WA	1152112350196	16
24	SANKALP2325WA	9061112150015	16
25	SANKALP2325WA	1062112250069	16
26	SANKALP2325WA	9062112150105	16
27	SANKALP2325WA	1152112350062	16
28	SANKALP2325WA	9062112150029	16
29	SANKALP2325WA	9061112150040	16
30	SANKALP2325WA	1152112350143	16

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA	1152112350264	17
2	SANKALP2325WA	1062112250074	17
3	SANKALP2325WA	9061112150042	17
4	SANKALP2325WA	1062112250063	17
5	SANKALP2325WA	9031122150018	17
6	SANKALP2325WA	9061112150012	17
7	SANKALP2325WA	9062112150091	17
8	SANKALP2325WA	9061112150030	17
9	SANKALP2325WA	9062112150104	17
10	SANKALP2325WA	1062112250056	17
11	SANKALP2325WA	9062112150068	17
12	SANKALP2325WA	1152112350206	17
13	SANKALP2325WA	1152	17
14	SANKALP2325WA	1152112350223	17
15	SANKALP2325WA	9062112150114	17
16	SANKALP2325WA	1062112250090	17
17	SANKALP2325WA	9062182150023	17
18	SANKALP2325WA	1151112350079	17
19	SANKALP2325WA	9062112150033	17
20	SANKALP2325WA1	1061112250025	17
21	SANKALP2325WA1	9062112150055	17
22	SANKALP2325WA1	9062112150016	17
23	SANKALP2325WA1	9062112150044	17
24	SANKALP2325WA1	1152112350008	17
25	SANKALP2325WA1	9062112150052	17
26	SANKALP2325WA1	9062112150058	17
27	SANKALP2325WA1	1062112250023	17
28	SANKALP2325WA1	1062112250010	17
29	SANKALP2325WA1	1152112350128	17
30	SANKALP2325WA1	1062112250016	17

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA1	9062112150015	18
2	SANKALP2325WA1	1152112350022	18
3	SANKALP2325WA1	9062202150004	18
4	SANKALP2325WA1	1152112350033	18
5	SANKALP2325WA1	1061112250063	18
6	SANKALP2325WA1	1062112250032	18
7	SANKALP2325WA1	1062112250011	18
8	SANKALP2325WA1	1152112350124	18
9	SANKALP2325WA1	9062112150025	18
10	SANKALP2325WA1	1020112250004	18
11	SANKALP2325WA1	1062112250036	18
12	SANKALP2325WA1	1061112250005	18
13	SANKALP2325WA1	9062112150070	18
14	SANKALP2325WA1	1152112350213	18
15	SANKALP2325WA1	1152112350030	18
16	SANKALP2325WA1	1061112250004	18
17	SANKALP2325WA1	1062112250030	18
18	SANKALP2325WA1	1152112350089	18
19	SANKALP2325WA1	9052192130002	18
20	SANKALP2325WA1	9062112150010	18
21	SANKALP2325WA1	1131112350055	18
22	SANKALP2325WA1	9062112150059	18
23	SANKALP2325WA1	1152112350016	18
24	SANKALP2325WA1	1061112250037	18
25	SANKALP2325WA1	9062112150067	18
26	SANKALP2325WA1	9062112150048	18
27	SANKALP2325WA1	1152112350171	18
28	SANKALP2325WA1	1062112250028	18
29	SANKALP2325WA2	1152112350263	18
30	SANKALP2325WA2	1152112350077	18

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA2	1062112250084	19
2	SANKALP2325WA2	1152112350238	19
3	SANKALP2325WA2	9062122150062	19
4	SANKALP2325WA2	1152112350014	19
5	SANKALP2325WA2	9062112150041	19
6	SANKALP2325WA2	9062112150064	19
7	SANKALP2325WA2	1152112350109	19
8	SANKALP2325WA2	1151112350189	19
9	SANKALP2325WA2	1152112350172	19
10	SANKALP2325WA2	1152112350150	19
11	SANKALP2325WA2	1152112350232	19
12	SANKALP2325WA2	1152112350179	19
13	SANKALP2325WA2	1152112350007	19
14	SANKALP2325WA2	1051112230011	19
15	SANKALP2325WA2	1152112350087	19
16	SANKALP2325WA2	9062112150035	19
17	SANKALP2325WA2	1151112350255	19
18	SANKALP2325WA2	1062112250017	19
19	SANKALP2325WA2	1061112250057	19
20	SANKALP2325WA2	9062112150054	19
21	SANKALP2325WA2	1152112350270	19
22	SANKALP2325WA2	1152112350119	19
23	SANKALP2325WA2	9062112150020	19
24	SANKALP2325WA2	1152112350057	19
25	SANKALP2325WA2	9062112150087	19
26	SANKALP2325WA2	1152112350191	19
27	SANKALP2325WA2	1152112350219	19
28	SANKALP2325WA2	1151112350020	19
29	SANKALP2325WA2	1152112350139	19
30	SANKALP2325WA2	1062112250077	19

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA2	1152112350086	20
2	SANKALP2325WA2	1152112350096	20
3	SANKALP2325WA2	1152112350101	20
4	SANKALP2325WA2	9062112150011	20
5	SANKALP2325WA2	1152112350244	20
6	SANKALP2325WA2	1152112350257	20
7	SANKALP2325WA2	1152112350004	20
8	SANKALP2325WA2	1152112350019	20
9	SANKALP2325WA2	1062112250055	20
10	SANKALP2325WA2	9062112150045	20
11	SANKALP2325WA2	1152112350073	20
12	SANKALP2325WA2	9062112150069	20
13	SANKALP2325WA2	1152112350138	20
14	SANKALP2325WA2	9062112150046	20
15	SANKALP2325WA2	9062112150109	20
16	SANKALP2325WA2	1062112250035	20
17	SANKALP2325WA2	1062112250096	20
18	SANKALP2325WA2	1152112350078	20
19	SANKALP2325WA2	1062112250068	20
20	SANKALP2325WA2	1062112250089	20
21	SANKALP2325WA3	1152112350070	20
22	SANKALP2325WA3	1152112350034	20
23	SANKALP2325WA3	1062112250083	20
24	SANKALP2325WA3	1062102250008	20
25	SANKALP2325WA3	1152112350144	20
26	SANKALP2325WA3	1152112350294	20
27	SANKALP2325WA3	1152112350227	20
28	SANKALP2325WA3	1152112350164	20
29	SANKALP2325WA3	1152112350293	20
30	SANKALP2325WA3	9062112150034	20

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA3	1152112350056	21
2	SANKALP2325WA3	1151112350008	21
3	SANKALP2325WA3	1062112250050	21
4	SANKALP2325WA3	1152112350036	21
5	SANKALP2325WA3	1062112250026	21
6	SANKALP2325WA3	1152112350162	21
7	SANKALP2325WA3	1152112350152	21
8	SANKALP2325WA3	1152112350166	21
9	SANKALP2325WA3	1152112350210	21
10	SANKALP2325WA3	9062112150063	21
11	SANKALP2325WA3	1152112350298	21
12	SANKALP2325WA3	1152112350066	21
13	SANKALP2325WA3	1152112350115	21
14	SANKALP2325WA3	9062112150027	21
15	SANKALP2325WA3	1061112250043	21
16	SANKALP2325WA3	1152112350147	21
17	SANKALP2325WA3	1152112350024	21
18	SANKALP2325WA3	9062112150038	21
19	SANKALP2325WA3	1152112350203	21
20	SANKALP2325WA3	1152112350332	21
21	SANKALP2325WA3	1152112350178	21
22	SANKALP2325WA3	1152112350017	21
23	SANKALP2325WA3	1152112350052	21
24	SANKALP2325WA3	1152112350211	21
25	SANKALP2325WA3	9062112150056	21
26	SANKALP2325WA3	1152112350204	21
27	SANKALP2325WA3	1152112350187	21
28	SANKALP2325WA3	1152112350231	21
29	SANKALP2325WA3	9062112150005	21
30	SANKALP2325WA3	1152112350261	21

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA3	9062112150097	22
2	SANKALP2325WA3	1152112350083	22
3	SANKALP2325WA3	1152112350358	22
4	SANKALP2325WA4	1152112350289	22
5	SANKALP2325WA4	1152112350299	22
6	SANKALP2325WA4	1152112350292	22
7	SANKALP2325WA4	9062112150119	22
8	SANKALP2325WA4	1152112350110	22
9	SANKALP2325WA4	1152112350249	22
10	SANKALP2325WA4	1152112350049	22
11	SANKALP2325WA4	9051182130008	22
12	SANKALP2325WA4	9062112150026	22
13	SANKALP2325WA4	1151112350347	22
14	SANKALP2325WA4	1152112350046	22
15	SANKALP2325WA4	1151112350272	22
16	SANKALP2325WA4	1152112350093	22
17	SANKALP2325WA4	1152112350290	22
18	SANKALP2325WA4	1151112350055	22
19	SANKALP2325WA4	1152112350276	22
20	SANKALP2325WA4	1152112350148	22
21	SANKALP2325WA4	9062112150100	22
22	SANKALP2325WA4	1152112350090	22
23	SANKALP2325WA4	1152112350282	22
24	SANKALP2325WA4	1152112350065	22
25	SANKALP2325WA4	1152112350224	22
26	SANKALP2325WA4	1152112350141	22
27	SANKALP2325WA4	1152112350168	22
28	SANKALP2325WA4	1152112350295	22
29	SANKALP2325WA4	9062112150098	22
30	SANKALP2325WA4	1152112350186	22

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA4	1062112250014	23
2	SANKALP2325WA4	9062112150019	23
3	SANKALP2325WA4	1152112350130	23
4	SANKALP2325WA4	1152112350214	23
5	SANKALP2325WA4	1152112350331	23
6	SANKALP2325WA4	9062112150061	23
7	SANKALP2325WA4	1152112350088	23
8	SANKALP2325WA4	1152112350108	23
9	SANKALP2325WA4	1152112350038	23
10	SANKALP2325WA4	1152112350103	23
11	SANKALP2325WA4	1152112350329	23
12	SANKALP2325WA4	1062112250047	23
13	SANKALP2325WA4	1152112350028	23
14	SANKALP2325WA4	1152112350320	23
15	SANKALP2325WA4	1152112350118	23
16	SANKALP2325WA4	1052112230010	23
17	SANKALP2325WA4	1062742250029	23
18	SANKALP2325WA4	1152112350199	23
19	SANKALP2325WA4	9062112150099	23
20	SANKALP2325WA4	1152112350245	23
21	SANKALP2325WA4	1152112350137	23
22	SANKALP2325WA4	9062112150107	23
23	SANKALP2325WA4	1152112350055	23
24	SANKALP2325WA5	1152112350230	23
25	SANKALP2325WA5	1152112350192	23
26	SANKALP2325WA5	1152112350354	23
27	SANKALP2325WA5	1152112350136	23
28	SANKALP2325WA5	9062112150121	23
29	SANKALP2325WA5	1152112350102	23
30	SANKALP2325WA5	1152112350271	23

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA5	1062112250002	24
2	SANKALP2325WA5	1152112350035	24
3	SANKALP2325WA5	1151112350283	24
4	SANKALP2325WA5	1152112350284	24
5	SANKALP2325WA5	1062112250085	24
6	SANKALP2325WA5	1152112350297	24
7	SANKALP2325WA5	9061112150028	24
8	SANKALP2325WA5	1020112250003	24
9	SANKALP2325WA5	9062112150095	24
10	SANKALP2325WA5	1152112350129	24
11	SANKALP2325WA5	1152112350064	24
12	SANKALP2325WA5	9062112150031	24
13	SANKALP2325WA5	1152112350212	24
14	SANKALP2325WA5	1152112350233	24
15	SANKALP2325WA5	1152112350291	24
16	SANKALP2325WA5	1152112350306	24
17	SANKALP2325WA5	1152112350202	24
18	SANKALP2325WA5	1152112350165	24
19	SANKALP2325WA5	1062112250079	24
20	SANKALP2325WA5	1152112350256	24
21	SANKALP2325WA5	1062112250058	24
22	SANKALP2325WA5	9061112150027	24
23	SANKALP2325WA5	1062112250066	24
24	SANKALP2325WA5	1051112230001	24
25	SANKALP2325WA5	1152112350194	24
26	SANKALP2325WA5	9062112150115	24
27	SANKALP2325WA5	1062112250099	24
28	SANKALP2325WA5	1152112350269	24
29	SANKALP2325WA5	1152112350234	24
30	SANKALP2325WA5	1062112250093	24

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WA5	1152112350051	25
2	SANKALP2325WA5	1152112350173	25
3	SANKALP2325WA5	1152112350120	25
4	SANKALP2325WA5	1152112350357	25
5	SANKALP2325WA5	1152112350215	25
6	SANKALP2325WO1	1062112250092	25
7	SANKALP2325WO1	9062112150101	25
8	SANKALP2325WO1	1152112350042	25
9	SANKALP2325WO1	1151112350082	25
10	SANKALP2325WO1	1061112250006	25
11	SANKALP2325WO1	1152112350012	25
12	SANKALP2325WO1	1152112350098	25
13	SANKALP2325WO1	9062112150040	25
14	SANKALP2325WO1	1152112350105	25
15	SANKALP2325WO1	1062112250029	25
16	SANKALP2325WO1	1152112350116	25
17	SANKALP2325WO1	9061112150003	25
18	SANKALP2325WO1	9062112150028	25
19	SANKALP2325WO1	1062112250042	25
20	SANKALP2325WO1	1152112350047	25
21	SANKALP2325WO1	9062192150009	25
22	SANKALP2325WO1	1152112350085	25
23	SANKALP2325WO1	1152112350131	25
24	SANKALP2325WO1	1152112350013	25
25	SANKALP2325WO1	9052112130015	25
26	SANKALP2325WO1	1152112350107	25
27	SANKALP2325WO1	1062112250072	25
28	SANKALP2325WO1	1152112350296	25
29	SANKALP2325WO1	1152112350195	25
30	SANKALP2325WO1	1152112350037	25

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO1	9062112150001	26
2	SANKALP2325WO1	9062112150032	26
3	SANKALP2325WO1	1152112350209	26
4	SANKALP2325WO1	1062112250001	26
5	SANKALP2325WO1	1152112350026	26
6	SANKALP2325WO1	9062112150024	26
7	SANKALP2325WO1	1152112350243	26
8	SANKALP2325WO1	1152112350267	26
9	SANKALP2325WO1	9062112150113	26
10	SANKALP2325WO1	1152112350111	26
11	SANKALP2325WO1	1152112350045	26
12	SANKALP2325WO1	1152112350010	26
13	SANKALP2325WO1	1062112250057	26
14	SANKALP2325WO1	9062112150096	26
15	SANKALP2325WO1	1152112350208	26
16	SANKALP2325WO1	1152112350135	26
17	SANKALP2325WO1	1062112250081	26
18	SANKALP2325WO1	9062112150082	26
19	SANKALP2325WO1	9062112150086	26
20	SANKALP2325WO1	1152112350177	26
21	SANKALP2325WO1	9062112150116	26
22	SANKALP2325WO1	1062112250080	26
23	SANKALP2325WO1	1152112350031	26
24	SANKALP2325WO1	9062112150003	26
25	SANKALP2325WO1	1152112350011	26
26	SANKALP2325WO1	1062112250076	26
27	SANKALP2325WO1	1152112350145	26
28	SANKALP2325WO1	1062112250031	26
29	SANKALP2325WO2	1152112350250	26
30	SANKALP2325WO2	1152112350151	26

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO2	1152112350180	27
2	SANKALP2325WO2	1152112350157	27
3	SANKALP2325WO2	1152112350272	27
4	SANKALP2325WO2	9062112150103	27
5	SANKALP2325WO2	1152112350095	27
6	SANKALP2325WO2	9062112150022	27
7	SANKALP2325WO2	9062112150065	27
8	SANKALP2325WO2	1152212350068	27
9	SANKALP2325WO2	1152112350002	27
10	SANKALP2325WO2	1152112350154	27
11	SANKALP2325WO2	1152112350100	27
12	SANKALP2325WO2	1151112350366	27
13	SANKALP2325WO2	1152112350275	27
14	SANKALP2325WO2	1152112350321	27
15	SANKALP2325WO2	1152112350207	27
16	SANKALP2325WO2	1152112350153	27
17	SANKALP2325WO2	1152112350200	27
18	SANKALP2325WO2	1152112350364	27
19	SANKALP2325WO2	9062212510046	27
20	SANKALP2325WO2	9062112150120	27
21	SANKALP2325WO2	1052112230027	27
22	SANKALP2325WO2	1062112250091	27
23	SANKALP2325WO2	1062712250006	27
24	SANKALP2325WO2	1152112350006	27
25	SANKALP2325WO2	1152112350258	27
26	SANKALP2325WO2	1152112350222	27
27	SANKALP2325WO2	9062112150053	27
28	SANKALP2325WO2	1061112250009	27
29	SANKALP2325WO2	1152112350281	27
30	SANKALP2325WO2	1061112250012	27

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO2	1062112250064	28
2	SANKALP2325WO2	1152112350198	28
3	SANKALP2325WO2	9062112150081	28
4	SANKALP2325WO2	9062112150043	28
5	SANKALP2325WO2	1151112350084	28
6	SANKALP2325WO2	9062112150042	28
7	SANKALP2325WO2	1152112350126	28
8	SANKALP2325WO2	1152112350266	28
9	SANKALP2325WO2	1052112230017	28
10	SANKALP2325WO2	1152112350074	28
11	SANKALP2325WO2	1062112250020	28
12	SANKALP2325WO2	1062112250037	28
13	SANKALP2325WO2	9062112150017	28
14	SANKALP2325WO2	1152112350025	28
15	SANKALP2325WO2	1062112250103	28
16	SANKALP2325WO2	1131112350332	28
17	SANKALP2325WO2	1152112350040	28
18	SANKALP2325WO2	1152112350240	28
19	SANKALP2325WO2	1152112350005	28
20	SANKALP2325WO2	1152112350239	28
21	SANKALP2325WO3	1152112350190	28
22	SANKALP2325WO3	1131112350810	28
23	SANKALP2325WO3	1152112350048	28
24	SANKALP2325WO3	1152112350248	28
25	SANKALP2325WO3	1152112350277	28
26	SANKALP2325WO3	1152112350279	28
27	SANKALP2325WO3	9062112150102	28
28	SANKALP2325WO3	1152112350003	28
29	SANKALP2325WO3	1151112350245	28
30	SANKALP2325WO3	1152112350123	28

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO3	1152112350288	29
2	SANKALP2325WO3	1062112250041	29
3	SANKALP2325WO3	1152112350252	29
4	SANKALP2325WO3	1151112350016	29
5	SANKALP2325WO3	1152112350280	29
6	SANKALP2325WO3	1151112350229	29
7	SANKALP2325WO3	9062112150106	29
8	SANKALP2325WO3	1061112250046	29
9	SANKALP2325WO3	1152112350140	29
10	SANKALP2325WO3	1151112350098	29
11	SANKALP2325WO3	1061112250040	29
12	SANKALP2325WO3	9062112150118	29
13	SANKALP2325WO3	9062112150094	29
14	SANKALP2325WO3	1152112350237	29
15	SANKALP2325WO3	1152112350032	29
16	SANKALP2325WO3	1152112350039	29
17	SANKALP2325WO3	9062112150117	29
18	SANKALP2325WO3	1152112350268	29
19	SANKALP2325WO3	1152112350091	29
20	SANKALP2325WO3	1152112350117	29
21	SANKALP2325WO3	9062112150111	29
22	SANKALP2325WO3	1062122250027	29
23	SANKALP2325WO3	1152112350029	29
24	SANKALP2325WO3	1152112350189	29
25	SANKALP2325WO3	1152112350188	29
26	SANKALP2325WO3	1152112350155	29
27	SANKALP2325WO3	1152112350246	29
28	SANKALP2325WO3	1152112350156	29
29	SANKALP2325WO3	1152112350254	29
30	SANKALP2325WO3	9061112150010	29

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO3	1152112350197	30
2	SANKALP2325WO3	1152112350161	30
3	SANKALP2325WO3	1152112350176	30
4	SANKALP2325WO3	1152112350228	30
5	SANKALP2325WO3	1152112350181	30
6	SANKALP2325WO3	1152112350159	30
7	SANKALP2325WO4	1152112350184	30
8	SANKALP2325WO4	9062112150047	30
9	SANKALP2325WO4	1152112350260	30
10	SANKALP2325WO4	9062112150073	30
11	SANKALP2325WO4	1152112350068	30
12	SANKALP2325WO4	1152112350149	30
13	SANKALP2325WO4	1131122350011	30
14	SANKALP2325WO4	1152112350262	30
15	SANKALP2325WO4	1152112350236	30
16	SANKALP2325WO4	1152112350305	30
17	SANKALP2325WO4	1152112350218	30
18	SANKALP2325WO4	1152112350058	30
19	SANKALP2325WO4	1131112350605	30
20	SANKALP2325WO4	1152112350121	30
21	SANKALP2325WO4	9061112150026	30
22	SANKALP2325WO4	1062112250102	30
23	SANKALP2325WO4	1151112350234	30
24	SANKALP2325WO4	1152112350114	30
25	SANKALP2325WO4	1152112350283	30
26	SANKALP2325WO4	1152112350285	30
27	SANKALP2325WO4	1152112350274	30
28	SANKALP2325WO4	9062112150076	30
29	SANKALP2325WO4	1062112250097	30
30	SANKALP2325WO4	1152112350099	30

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WO4	9062112150057	31
2	SANKALP2325WO4	1151112350018	31
3	SANKALP2325WO4	1062112250071	31
4	SANKALP2325WO4	1152112350113	31
5	SANKALP2325WO4	9062112150006	31
6	SANKALP2325WO4	1152112350287	31
7	SANKALP2325WO4	1152112350265	31
8	SANKALP2325WO4	1152112350146	31
9	SANKALP2325WO4	1152112350160	31
10	SANKALP2325WO4	1151112350092	31
11	SANKALP2325WO4	1152112350167	31
12	SANKALP2325WO4	1152112350278	31
13	SANKALP2325WO4	1151112350223	31
14	SANKALP2325WO4	1062112250022	31
15	SANKALP2325WO4	1062112250100	31
16	SANKALP2325WO4	1152112350205	31
17	SANKALP2325WO4	1152112350174	31
18	SANKALP2325WO4	1152112350185	31
19	SANKALP2325RB1	1151112350445	31
20	SANKALP2325RB1	1061822250056	31
21	SANKALP2325RB1	1151112350453	31
22	SANKALP2325RB1	1151112350412	31
23	SANKALP2325RB1	1151112350416	31
24	SANKALP2325RB1	1151112350425	31
25	SANKALP2325RB1	1151112350389	31
26	SANKALP2325RB1	1151112350415	31
27	SANKALP2325RB1	1151112350417	31
28	SANKALP2325RB1	1151112350384	31
29	SANKALP2325RB1	1151112350410	31
30	SANKALP2325RB1	1151112350427	31

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RB1	1151112350454	32
2	SANKALP2325RB1	1151112350407	32
3	SANKALP2325RB1	1151112350396	32
4	SANKALP2325RB1	1151112350446	32
5	SANKALP2325RB1	1151112350434	32
6	SANKALP2325RB1	1151112350456	32
7	SANKALP2325RB1	1151112350449	32
8	SANKALP2325RB1	1151112350421	32
9	SANKALP2325RB1	1151112350448	32
10	SANKALP2325RB1	1151112350422	32
11	SANKALP2325RB1	1151112350409	32
12	SANKALP2325RB1	1151112350457	32
13	SANKALP2325RB1	1151112350408	32
14	SANKALP2325RB1	1151112350388	32
15	SANKALP2325RB1	1151112350433	32
16	SANKALP2325RB1	1151112350402	32
17	SANKALP2325RB1	1151112350386	32
18	SANKALP2325RB1	1151112350442	32
19	SANKALP2325RB1	1151112350420	32
20	SANKALP2325RB1	1151112350381	32
21	SANKALP2325RB1	1151112350378	32
22	SANKALP2325RB1	1151112350399	32
23	SANKALP2325RB1	1151112350372	32
24	SANKALP2325RB1	1151112350430	32
25	SANKALP2325RB1	1151112350401	32
26	SANKALP2325RB2	1151112350424	32
27	SANKALP2325RB2	1151112350373	32
28	SANKALP2325RB2	1151112350398	32
29	SANKALP2325RB2	1151112350443	32
30	SANKALP2325RB2	1151112350418	32

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RB2	1151112350344	33
2	SANKALP2325RB2	1151112350450	33
3	SANKALP2325RB2	1151112350392	33
4	SANKALP2325RB2	1151112350414	33
5	SANKALP2325RB2	1151112350377	33
6	SANKALP2325RB2	1151112350406	33
7	SANKALP2325RB2	1151112350423	33
8	SANKALP2325RB2	1151112350375	33
9	SANKALP2325RB2	1151112350435	33
10	SANKALP2325RB2	1151112350429	33
11	SANKALP2325RB2	1151112350400	33
12	SANKALP2325RB2	1151112350379	33
13	SANKALP2325RB2	1151112350393	33
14	SANKALP2325RB2	1131112350281	33
15	SANKALP2325RB2	1151112350382	33
16	SANKALP2325RB2	1151112350395	33
17	SANKALP2325RB2	1151112350413	33
18	SANKALP2325RB2	1151112350447	33
19	SANKALP2325RB2	1151112350426	33
20	SANKALP2325RB2	1151112350376	33
21	SANKALP2325RB2	1151112350436	33
22	SANKALP2325RB2	1151112350455	33
23	SANKALP2325RB2	1151112350330	33
24	SANKALP2325RB2	1151112350362	33
25	SANKALP2325RB2	1151112350390	33
26	SANKALP2325RB2	1151112350369	33
27	SANKALP2325RB2	1151112350431	33
28	SANKALP2325RB2	1151112350439	33
29	SANKALP2325RB2	1151112350438	33
30	SANKALP2325RB2	1151112350404	33

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RB2	1151112350451	34
2	SANKALP2325RB2	1151112350374	34
3	SANKALP2325RB2	1151112350419	34
4	SANKALP2325WB1	1152112350319	34
5	SANKALP2325WB1	1152112350345	34
6	SANKALP2325WB1	1152112350310	34
7	SANKALP2325WB1	1152112350315	34
8	SANKALP2325WB1	1152112350340	34
9	SANKALP2325WB1	1151112350370	34
10	SANKALP2325WB1	1151112350397	34
11	SANKALP2325WB1	1151112350440	34
12	SANKALP2325WB1	1152112350335	34
13	SANKALP2325WB1	1152112350330	34
14	SANKALP2325WB1	1152112350182	34
15	SANKALP2325WB1	1152112350342	34
16	SANKALP2325WB1	1152112350322	34
17	SANKALP2325WB1	1152112350304	34
18	SANKALP2325WB1	1152112350311	34
19	SANKALP2325WB1	1151112350371	34
20	SANKALP2325WB1	1152112350356	34
21	SANKALP2325WB1	1152112350367	34
22	SANKALP2325WB1	1152112350343	34
23	SANKALP2325WB1	1152112350334	34
24	SANKALP2325WB1	1152112350313	34
25	SANKALP2325WB1	1152112350344	34
26	SANKALP2325WB1	1152112350347	34
27	SANKALP2325WB1	1152112350312	34
28	SANKALP2325WB1	1152112350338	34
29	SANKALP2325WB1	1152112350348	34
30	SANKALP2325WB1	1152112350301	34

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WB1	1152112350333	35
2	SANKALP2325WB2	1152112350303	35
3	SANKALP2325WB2	1152112350302	35
4	SANKALP2325WB2	1152112350318	35
5	SANKALP2325WB2	1152112350366	35
6	SANKALP2325WB2	1152112350359	35
7	SANKALP2325WB2	1152112350355	35
8	SANKALP2325WB2	1152112350365	35
9	SANKALP2325WB2	1152112350339	35
10	SANKALP2325WB2	1152112350317	35
11	SANKALP2325WB2	1152112350309	35
12	SANKALP2325WB2	1152112350251	35
13	SANKALP2325WB2	1152112350351	35
14	SANKALP2325WB2	1152112350307	35
15	SANKALP2325WB2	1152112350352	35
16	SANKALP2325WB2	1152112350316	35
17	SANKALP2325WB2	1152112350350	35
18	SANKALP2325WB2	1152112350341	35
19	SANKALP2325WB2	1152112350324	35
20	SANKALP2325WB2	1152112350361	35
21	SANKALP2325WB2	1152112350337	35
22	SANKALP2325WB2	1152112350325	35
23	SANKALP2325WB2	1152112350300	35
24	SANKALP2325WB2	1152112350353	35
25	SANKALP2325WB2	1152112350336	35
26	SANKALP2325WB2	1152112350327	35
27	SANKALP2325WB2	1152112350326	35
28	SANKALP2325RAH	1061112250018	35
29	SANKALP2325RAH	1151112350060	35
30	SANKALP2325RAH	1151112350301	35

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RAH	1061112250054	36
2	SANKALP2325RAH	1151112350041	36
3	SANKALP2325RAH	1061112250022	36
4	SANKALP2325RAH	1061112250052	36
5	SANKALP2325RAH	1151112350307	36
6	SANKALP2325RAH	1151112350093	36
7	SANKALP2325RAH	1061112250031	36
8	SANKALP2325RAH	1151112350145	36
9	SANKALP2325RAH	1151112350155	36
10	SANKALP2325RAH	1151112350160	36
11	SANKALP2325RAH	1151112350210	36
12	SANKALP2325RAH	1151112350139	36
13	SANKALP2325RAH	1151112350034	36
14	SANKALP2325RAH	1131112350159	36
15	SANKALP2325RAH	1151112350363	36
16	SANKALP2325RAH	9061112150039	36
17	SANKALP2325RAH	1061112250049	36
18	SANKALP2325RAH	1151112350346	36
19	SANKALP2325RAH	1151112350216	36
20	SANKALP2325RAH	1061112250019	36
21	SANKALP2325RAH	1062112250039	36
22	SANKALP2325RAH	1151112350156	36
23	SANKALP2325RAH	1061112250034	36
24	SANKALP2325RAH	1151112350200	36
25	SANKALP2325RAH	1151112350192	36
26	SANKALP2325RAH	9061112150041	36
27	SANKALP2325RAH	1152112350158	36
28	SANKALP2325RAH	9061112150006	36
29	SANKALP2325RAH	1151112350236	36
30	SANKALP2325RAH	1061112250053	36

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RAH	1061112250051	37
2	SANKALP2325RAH	1151112350119	37
3	SANKALP2325RAH	1151112350241	37
4	SANKALP2325RAH	1061112250065	37
5	SANKALP2325RAH	1151112350294	37
6	SANKALP2325RAH	1151112350012	37
7	SANKALP2325RAH	1151112350222	37
8	SANKALP2325RAH	1061112250066	37
9	SANKALP2325RAH	1151112350099	37
10	SANKALP2325RAH	1061112250007	37
11	SANKALP2325RAH	1151112350007	37
12	SANKALP2325RAH	1151112350114	37
13	SANKALP2325WAH	1062112250018	37
14	SANKALP2325WAH	1062112250062	37
15	SANKALP2325WAH	1151112350214	37
16	SANKALP2325WAH	1062112250059	37
17	SANKALP2325WAH	1152112350092	37
18	SANKALP2325WAH	1062112250078	37
19	SANKALP2325WAH	1062112250052	37
20	SANKALP2325WAH	1152112350163	37
21	SANKALP2325WAH	1062112250048	37
22	SANKALP2325WAH	1152112350247	37
23	SANKALP2325WAH	1152112350071	37
24	SANKALP2325WAH	1152112350081	37
25	SANKALP2325WAH	1062112250075	37
26	SANKALP2325WAH	1152112350241	37
27	SANKALP2325WAH	1152112350027	37
28	SANKALP2325WAH	1131112350585	37
29	SANKALP2325WAH	1152112350127	37
30	SANKALP2325WAH	1152112350235	37

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WAH	1062112250054	38
2	SANKALP2325WAH	1152112350229	38
3	SANKALP2325WAH	1152112350216	38
4	SANKALP2325WAH	1062112250043	38
5	SANKALP2325WAH	1152112350080	38
6	SANKALP2325WAH	1152112350059	38
7	SANKALP2325WAH	1152112350175	38
8	SANKALP2325WAH	1062112250045	38
9	SANKALP2325WAH	1152112350044	38
10	SANKALP2325WAH	1062112250008	38
11	SANKALP2325WAH	1152112350112	38
12	SANKALP2325WAH	1062112250082	38
13	SANKALP2325WAH	1152112350015	38
14	SANKALP2325WAH	1152112350053	38
15	SANKALP2325WAH	1152112350125	38
16	SANKALP2325WAH	1152112350142	38
17	SANKALP2325WAH	1152112350220	38
18	SANKALP2325WAH	1152112350094	38
19	SANKALP2325WAH	1152112350360	38
20	SANKALP2325WAH	1062112250013	38
21	SANKALP2325RC1	1151112350458	38
22	SANKALP2325RC1	1151112350385	38
23	SANKALP2325RC1	1151112350479	38
24	SANKALP2325RC1	1151112350465	38
25	SANKALP2325RC1	1151112350477	38
26	SANKALP2325RC1	1151112350486	38
27	SANKALP2325RC1	1131112350870	38
28	SANKALP2325RC1	1151112350467	38
29	SANKALP2325RC1	1151112350472	38
30	SANKALP2325RC1	1151112350488	38

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RC1	1151112350473	39
2	SANKALP2325RC1	113902973304230238	39
3	SANKALP2325RC1	1151112350493	39
4	SANKALP2325RC1	1151	39
5	SANKALP2325RC1	1151112350475	39
6	SANKALP2325RC1	1151112350463	39
7	SANKALP2325RC1	1151112350490	39
8	SANKALP2325RC1	1151112350474	39
9	SANKALP2325RC1	1151112350487	39
10	SANKALP2325RC1	1151112350491	39
11	SANKALP2325RC1	1151112350481	39
12	SANKALP2325RC1	1151112350459	39
13	SANKALP2325RC1	1151112350480	39
14	SANKALP2325RC1	1151112350460	39
15	SANKALP2325RC1	1151112350461	39
16	SANKALP2325RC1	1151112350492	39
17	SANKALP2325RC1	1151112350468	39
18	SANKALP2325RC1	1151112350471	39
19	SANKALP2325RC1	1151112350387	39
20	SANKALP2325RC1	1151112350469	39
21	SANKALP2325RC1	1151112350483	39
22	SANKALP2325RC1	1151112350489	39
23	SANKALP2325RC1	1131112350873	39
24	SANKALP2325RC1	1151112350452	39
25	SANKALP2325RC1	1151112350464	39
26	SANKALP2325RC1	1151112350485	39
27	SANKALP2325RC1	1151812350172	39
28	SANKALP2325RC1	1151112350482	39
29	SANKALP2325RC1	1151112350478	39
30	SANKALP2325WC1	1151112350470	39

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WC1	1152112350395	40
2	SANKALP2325WC1	1152112350368	40
3	SANKALP2325WC1	1152112350372	40
4	SANKALP2325WC1	1152112350397	40
5	SANKALP2325WC1	1151112350186	40
6	SANKALP2325WC1	1152112350393	40
7	SANKALP2325WC1	1152112350380	40
8	SANKALP2325WC1	1151112350562	40
9	SANKALP2325WC1	1152112350374	40
10	SANKALP2325WC1	1152112350379	40
11	SANKALP2325WC1	1152112350387	40
12	SANKALP2325WC1	1152112350370	40
13	SANKALP2325WC1	1152112350383	40
14	SANKALP2325WC1	1152112350377	40
15	SANKALP2325WC1	1052112230011	40
16	SANKALP2325WC1	1152112350363	40
17	SANKALP2325WC1	1152112350384	40
18	SANKALP2325WC1	1151112350476	40
19	SANKALP2325WC1	1152112350398	40
20	SANKALP2325WC1	1152112350373	40
21	SANKALP2325WC1	1152112350371	40
22	SANKALP2325WC1	1152112350389	40
23	SANKALP2325WC1	1152112350394	40
24	SANKALP2325WC1	1152112350388	40
25	SANKALP2325WC1	1152112350375	40
26	SANKALP2325WC1	1152112350385	40
27	SANKALP2325WC1	1152112350054	40
28	SANKALP2325WC1	1152112350369	40
29	SANKALP2325WC1	1152112350386	40
30	SANKALP2325WC1	1152112350378	40

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WC1	1152112350376	41
2	SANKALP2325WC1	1152112350396	41
3	SANKALP2325WC1	1152112350381	41
4	SANKALP2325WC1	1151112350466	41
5	SANKALP2325WC1	1152112350391	41
6	SANKALP2325RD1	1151112350547	41
7	SANKALP2325RD1	9061112150045	41
8	SANKALP2325RD1	1151112350506	41
9	SANKALP2325RD1	1151112350495	41
10	SANKALP2325RD1	1151112350516	41
11	SANKALP2325RD1	1151112350496	41
12	SANKALP2325RD1	1151112350502	41
13	SANKALP2325RD1	1151112350537	41
14	SANKALP2325RD1	1151112350499	41
15	SANKALP2325RD1	1151112350507	41
16	SANKALP2325RD1	1151112350527	41
17	SANKALP2325RD1	1151112350530	41
18	SANKALP2325RD1	1151112350532	41
19	SANKALP2325RD1	1151112350531	41
20	SANKALP2325RD1	1151112350528	41
21	SANKALP2325RD1	1151112350529	41
22	SANKALP2325RD1	1151112350536	41
23	SANKALP2325RD1	1152112350403	41
24	SANKALP2325RD1	1151112350520	41
25	SANKALP2325RD1	1151112350546	41
26	SANKALP2325RD1	1151112350518	41
27	SANKALP2325RD1	1151112350515	41
28	SANKALP2325RD1	1151112350521	41
29	SANKALP2325RD1	1151112350510	41
30	SANKALP2325RD1	1151112350540	41

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RD1	1151112350497	42
2	SANKALP2325RD1	1151112350541	42
3	SANKALP2325RD1	1151112350548	42
4	SANKALP2325RD1	1151112350534	42
5	SANKALP2325RD1	1151112350514	42
6	SANKALP2325RD1	1151112350533	42
7	SANKALP2325RD1	1151112350543	42
8	SANKALP2325RD1	1151112350519	42
9	SANKALP2325RD1	1151112350535	42
10	SANKALP2325RD1	1151112350538	42
11	SANKALP2325RD1	1151112350503	42
12	SANKALP2325RD1	1151112350498	42
13	SANKALP2325RD1	1151112350539	42
14	SANKALP2325RD1	1151112350509	42
15	SANKALP2325RD1	1151112350512	42
16	SANKALP2325RD1	1151112350522	42
17	SANKALP2325RD1	1151112350504	42
18	SANKALP2325RD1	1151112350524	42
19	SANKALP2325RD1	1151112350525	42
20	SANKALP2325RD1	1151112350500	42
21	SANKALP2325RD1	1151112350462	42
22	SANKALP2325RD1	1152112350454	42
23	SANKALP2325RD1	1151112350494	42
24	SANKALP2325RD1	1151112350526	42
25	SANKALP2325RD1	1151112350513	42
26	SANKALP2325RD1	1151112350508	42
27	SANKALP2325RD1	1151112350523	42
28	SANKALP2325RD1	1151112350505	42
29	SANKALP2325RD1	1151112350501	42
30			42

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WD1	1151112350511	43
2	SANKALP2325WD1	1152112350412	43
3	SANKALP2325WD1	1152112350452	43
4	SANKALP2325WD1	1152112350416	43
5	SANKALP2325WD1	1152112350406	43
6	SANKALP2325WD1	1152112350424	43
7	SANKALP2325WD1	1152112350459	43
8	SANKALP2325WD1	1152112350402	43
9	SANKALP2325WD1	1152112350444	43
10	SANKALP2325WD1	1152112350362	43
11	SANKALP2325WD1	1152112350401	43
12	SANKALP2325WD1	1152112350408	43
13	SANKALP2325WD1	1152112350409	43
14	SANKALP2325WD1	1152112350417	43
15	SANKALP2325WD1	1152112350400	43
16	SANKALP2325WD1	1152112350441	43
17	SANKALP2325WD1	1152112350422	43
18	SANKALP2325WD1	1152112350410	43
19	SANKALP2325WD1	1152112350458	43
20	SANKALP2325WD1	1152112350414	43
21	SANKALP2325WD1	1152112350438	43
22	SANKALP2325WD1	1152112350404	43
23	SANKALP2325WD1	1152112350426	43
24	SANKALP2325WD1	1152112350433	43
25	SANKALP2325WD1	1152112350450	43
26	SANKALP2325WD1	1152112350455	43
27	SANKALP2325WD1	1152112350445	43
28	SANKALP2325WD1	1152112350427	43
29	SANKALP2325WD1	1152112350405	43
30	SANKALP2325WD1	1152112350449	43

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WD1	1152112350436	44
2	SANKALP2325WD1	1152112350415	44
3	SANKALP2325WD1	1152112350456	44
4	SANKALP2325WD2	1152112350457	44
5	SANKALP2325WD2	1152112350423	44
6	SANKALP2325WD2	1152112350420	44
7	SANKALP2325WD2	1152112350461	44
8	SANKALP2325WD2	1152112350418	44
9	SANKALP2325WD2	1152112350411	44
10	SANKALP2325WD2	1152112350413	44
11	SANKALP2325WD2	1152112350435	44
12	SANKALP2325WD2	1152112350432	44
13	SANKALP2325WD2	1152112350434	44
14	SANKALP2325WD2	1152112350437	44
15	SANKALP2325WD2	1152112350430	44
16	SANKALP2325WD2	1152112350431	44
17	SANKALP2325WD2	1152112350407	44
18	SANKALP2325WD2	1152112350421	44
19	SANKALP2325WD2	1152112350439	44
20	SANKALP2325WD2	1152112350460	44
21	SANKALP2325WD2	1152112350446	44
22	SANKALP2325WD2	1152112350448	44
23	SANKALP2325WD2	1152112350314	44
24	SANKALP2325WD2	1152112350440	44
25	SANKALP2325WD2	1152112350429	44
26	SANKALP2325WD2	1152112350425	44
27	SANKALP2325WD2	1152112350453	44
28	SANKALP2325WD2	1152112350419	44
29	SANKALP2325WD2	1152112350447	44
30	SANKALP2325WD2	1152112350442	44

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325WD2	1152112350399	45
2	SANKALP2325RE1	1151112350428	45
3	SANKALP2325RE1	1151112350553	45
4	SANKALP2325RE1	1151112350560	45
5	SANKALP2325RE1	1110222350254	45
6	SANKALP2325RE1	1151112350550	45
7	SANKALP2325RE1	1151832350142	45
8	SANKALP2325RE1	1151112350557	45
9	SANKALP2325RE1	1151112350552	45
10	SANKALP2325RE1	1151112350558	45
11	SANKALP2325RE1	1151112350549	45
12	SANKALP2325RE1	1151112350555	45
13	SANKALP2325RE1	1151112350559	45
14	SANKALP2325RE1	1151112350556	45
15	SANKALP2325WE1	1152112350464	45
16	SANKALP2325WE1	1152112350469	45
17	SANKALP2325WE1	1152112350466	45
18	SANKALP2325WE1	1152112350462	45
19	SANKALP2325WE1	1152112350468	45
20	SANKALP2325WE1	1152112350471	45
21	SANKALP2325WE1	1152112350470	45
22	SANKALP2325WE1	1152112350465	45
23	SANKALP2325WE1	1151112350484	45
24	SANKALP2325WE1	1152112350467	45
25	SANKALP2325WE1	1152112350463	45
26	SANKALP2325WE1	1152112350472	45
27	SANKALP2325WA3	1110222350154	45
28	2325RAH	1151112350328	45
29	2325WAH	1062112250070	45
30	SANKALP2325RO2	1131112350406	45

ROOM LIST_RESHUFLING TEST - 2

S.NO.	BATCH NO.	ENROL_NO.	ROOM NO.
1	SANKALP2325RF1	1151112350570	46
2	SANKALP2325RF1	1151112350571	46
3	SANKALP2325RF1	1151112350561	46
4	SANKALP2325RF1	1151112350572	46
5	SANKALP2325RF1	1151112350567	46
6	SANKALP2325RF1	1151112350573	46
7	SANKALP2325RF1	1152112350201	46
8	SANKALP2325RF1	1151112350569	46
9	SANKALP2325RF1	1151112350563	46
10	SANKALP2325RF1	1151112350564	46
11	SANKALP2325RF1	1151102350175	46
12	SANKALP2325RF1	1151112350566	46
13	SANKALP2325RF1	1151112350565	46
14	SANKALP2325WF1	1152112350473	46
15	SANKALP2325WF1	1152112350323	46
16	SANKALP2325WF1	1152112350478	46
17	SANKALP2325WF1	1152112350476	46
18	SANKALP2325WF1	1152112350481	46
19	SANKALP2325WF1	1152112350474	46
20	SANKALP2325WF1	1152112350480	46
21	SANKALP2325WF1	1152112350483	46
22	SANKALP2325WF1	1152112350482	46
23	SANKALP2325WF1	1152112350477	46
24	SANKALP2325WF1	9062112150075	46
25	SANKALP2325WF1	1152112350475	46
26			
27			
28			
29			
30			